



## Wire rope Dyform 6

### Інформація про товар



Superior bending fatigue life when compared with conventional six strand crane ropes.  
Excellent resistance to crushing and abrasion particularly on multi-layer coiling resulting from the Dyform strands.  
Reduced elongation results from increased steel content and the Dyform process.  
Optional plastic impregnation to further extend fatigue life, improve structural stability and resistance to corrosion.

**ISO 4309 Rope Category No:** 8-15mm RCN.06, 16-46mm RCN.09, 48-50mm RCN.11

**Маркування:** Згідно зі стандартом

**Стандарт:** EN 12385-4

**Коефіцієнт заповнення:** 0.64

**RCN:** 06

Код товару	Діаметр троса мм	Tensile strength N/mm <sup>2</sup>	Мінімальна розривна сила кН 2160Н/мм <sup>2</sup>	Покриття	Rope lay.	Вага kg/100m
103101004270509	10	1 960	82,8	Оцинковане	sZ	46,9
103101003270509	10	1 960	82,8	Оцинковане	zS	46,9
103101004070509	10	1 960	82,8	Неоцинковане	sZ	46,9
103101003070509	10	1 960	82,8	Неоцинковане	zS	46,9
103101004300509	10	2 160	89,8	Оцинковане	sZ	46,9
103101003300509	10	2 160	89,8	Оцинковане	zS	46,9
103101004100509	10	2 160	89,8	Неоцинковане	sZ	46,9

103101003100509	10	2 160	89,8	Неоцинковане	zS	46,9
103101104070509	11	1 960	100	Неоцинковане	sZ	57,5
103101103070509	11	1 960	100	Неоцинковане	zS	57,5
103101104270509	11	1 960	100	Оцинковане	sZ	57,5
103101103270509	11	1 960	100	Оцинковане	zS	57,5
103101104100509	11	2 160	109	Неоцинковане	sZ	57,5
103101103100509	11	2 160	109	Неоцинковане	zS	57,5
103101104300509	11	2 160	109	Оцинковане	sZ	57,5
103101103300509	11	2 160	109	Оцинковане	zS	57,5
103101204070509	12	1 960	119	Неоцинковане	sZ	64,9
103101203070509	12	1 960	119	Неоцинковане	zS	64,9
103101204270509	12	1 960	119	Оцинковане	sZ	64,9
103101203270509	12	1 960	119	Оцинковане	zS	64,9
103101204100509	12	2 160	129	Неоцинковане	sZ	64,9
103101203100509	12	2 160	129	Неоцинковане	zS	64,9
103101204300509	12	2 160	129	Оцинковане	sZ	64,9
103101203300509	12	2 160	129	Оцинковане	zS	64,9
103101304070509	13	1 960	140	Неоцинковане	sZ	80,3
103101303070509	13	1 960	140	Неоцинковане	zS	80,3
103101304270509	13	1 960	140	Оцинковане	sZ	80,3
103101303270509	13	1 960	140	Оцинковане	zS	80,3
103101304100509	13	2 160	152	Неоцинковане	sZ	80,3

103101303100509	13	2 160	152	Неоцинковане	zS	80,3
103101304300509	13	2 160	152	Оцинковане	sZ	80,3
103101303300509	13	2 160	152	Оцинковане	zS	80,3
103101404070509	14	1 960	162	Неоцинковане	sZ	94
103101403070509	14	1 960	162	Неоцинковане	zS	94
103101404270509	14	1 960	162	Оцинковане	sZ	94
103101403270509	14	1 960	162	Оцинковане	zS	94
103101404100509	14	2 160	176	Неоцинковане	sZ	94
103101403100509	14	2 160	176	Неоцинковане	zS	94
103101404300509	14	2 160	176	Оцинковане	sZ	94
103101403300509	14	2 160	176	Оцинковане	zS	94
103101504070509	15	1 960	186	Неоцинковане	sZ	106
103101503070509	15	1 960	186	Неоцинковане	zS	106
103101504270509	15	1 960	186	Оцинковане	sZ	106
103101503270509	15	1 960	186	Оцинковане	zS	106
103101504100509	15	2 160	202	Неоцинковане	sZ	106
103101503100509	15	2 160	202	Неоцинковане	zS	106
103101504300509	15	2 160	202	Оцинковане	sZ	106
103101503300509	15	2 160	202	Оцинковане	zS	106
103101604070509	16	1 960	212	Неоцинковане	sZ	117
103101603070509	16	1 960	212	Неоцинковане	zS	117
103101604270509	16	1 960	212	Оцинковане	sZ	117
103101603270509	16	1 960	212	Оцинковане	zS	117

103101604100509	16	2 160	230	Неоцинковане	sZ	117
103101603100509	16	2 160	230	Неоцинковане	zS	117
103101604300509	16	2 160	230	Оцинковане	sZ	117
103101603300509	16	2 160	230	Оцинковане	zS	117
103101704070509	17	1 960	239	Неоцинковане	sZ	139
103101703070509	17	1 960	239	Неоцинковане	zS	139
103101704270509	17	1 960	239	Оцинковане	sZ	139
103101703270509	17	1 960	239	Оцинковане	zS	139
103101704100509	17	2 160	260	Неоцинковане	sZ	139
103101703100509	17	2 160	260	Неоцинковане	zS	139
103101704300509	17	2 160	260	Оцинковане	sZ	139
103101703300509	17	2 160	260	Оцинковане	zS	139
103101804070509	18	1 960	268	Неоцинковане	sZ	153
103101803070509	18	1 960	268	Неоцинковане	zS	153
103101804270509	18	1 960	268	Оцинковане	sZ	153
103101803270509	18	1 960	268	Оцинковане	zS	153
103101804100509	18	2 160	291	Неоцинковане	sZ	153
103101803100509	18	2 160	291	Неоцинковане	zS	153
103101804300509	18	2 160	291	Оцинковане	sZ	153
103101803300509	18	2 160	291	Оцинковане	zS	153
103101904070509	19	1 960	299	Неоцинковане	sZ	166
103101903070509	19	1 960	299	Неоцинковане	zS	166
103101904270509	19	1 960	299	Оцинковане	sZ	166

103101903270509	19	1 960	299	Оцинковане	zS	166
103101904100509	19	2 160	324	Неоцинковане	sZ	166
103101903100509	19	2 160	324	Неоцинковане	zS	166
103101904300509	19	2 160	324	Оцинковане	sZ	166
103101903300509	19	2 160	324	Оцинковане	zS	166
103102004070509	20	1 960	331	Неоцинковане	sZ	182
103102003070509	20	1 960	331	Неоцинковане	zS	182
103102004270509	20	1 960	331	Оцинковане	sZ	182
103102003270509	20	1 960	331	Оцинковане	zS	182
103102004100509	20	2 160	359	Неоцинковане	sZ	182
103102003100509	20	2 160	359	Неоцинковане	zS	182
103102004300509	20	2 160	359	Оцинковане	sZ	182
103102003300509	20	2 160	359	Оцинковане	zS	182
103102204070509	22	1 960	401	Неоцинковане	sZ	217
103102203070509	22	1 960	401	Неоцинковане	zS	217
103102204270509	22	1 960	401	Оцинковане	sZ	217
103102203270509	22	1 960	401	Оцинковане	zS	217
103102204100509	22	2 160	435	Неоцинковане	sZ	217
103102203100509	22	2 160	435	Неоцинковане	zS	217
103102204300509	22	2 160	435	Оцинковане	sZ	217
103102203300509	22	2 160	435	Оцинковане	zS	217
103102404070509	24	1 960	477	Неоцинковане	sZ	266
103102403070509	24	1 960	477	Неоцинковане	zS	266

103102404270509	24	1 960	477	Оцинковане	sZ	266
103102403270509	24	1 960	477	Оцинковане	zS	266
103102404100509	24	2 160	518	Неоцинковане	sZ	266
103102403100509	24	2 160	518	Неоцинковане	zS	266
103102404300509	24	2 160	518	Оцинковане	sZ	266
103102403300509	24	2 160	518	Оцинковане	zS	266
103102504070509	25	1 960	512	Неоцинковане	sZ	280
103102503070509	25	1 960	512	Неоцинковане	zS	280
103102504270509	25	1 960	512	Оцинковане	sZ	280
103102503270509	25	1 960	512	Оцинковане	zS	280
103102504100509	25	2 160	546	Неоцинковане	sZ	280
103102503100509	25	2 160	546	Неоцинковане	zS	280
103102504300509	25	2 160	546	Оцинковане	sZ	280
103102503300509	25	2 160	546	Оцинковане	zS	280
103102604070509	26	1 960	559	Неоцинковане	sZ	313
103102603070509	26	1 960	559	Неоцинковане	zS	313
103102604270509	26	1 960	559	Оцинковане	sZ	313
103102603270509	26	1 960	559	Оцинковане	zS	313
103102604100509	26	2 160	607	Неоцинковане	sZ	313
103102603100509	26	2 160	607	Неоцинковане	zS	313
103102604300509	26	2 160	607	Оцинковане	sZ	313
103102603300509	26	2 160	607	Оцинковане	zS	313
103102804070509	28	1 960	649	Неоцинковане	sZ	359

103102803070509	28	1 960	649	Неоцинковане	zS	359
103102804270509	28	1 960	649	Оцинковане	sZ	359
103102803270509	28	1 960	649	Оцинковане	zS	359
103102804100509	28	2 160	704	Неоцинковане	sZ	359
103102803100509	28	2 160	704	Неоцинковане	zS	359
103102804300509	28	2 160	704	Оцинковане	sZ	359
103102803300509	28	2 160	704	Оцинковане	zS	359
103103004070509	30	1 960	745	Неоцинковане	sZ	414
103103003070509	30	1 960	745	Неоцинковане	zS	414
103103004270509	30	1 960	745	Оцинковане	sZ	414
103103003270509	30	1 960	745	Оцинковане	zS	414
103103004100509	30	2 160	809	Неоцинковане	sZ	414
103103003100509	30	2 160	809	Неоцинковане	zS	414
103103004300509	30	2 160	809	Оцинковане	sZ	414
103103003300509	30	2 160	809	Оцинковане	zS	414
103103204070509	32	1 960	847	Неоцинковане	sZ	469
103103203070509	32	1 960	847	Неоцинковане	zS	469
103103204270509	32	1 960	847	Оцинковане	sZ	469
103103203270509	32	1 960	847	Оцинковане	zS	469
103103204100509	32	2 160	920	Неоцинковане	sZ	469
103103203100509	32	2 160	920	Неоцинковане	zS	469
103103204300509	32	2 160	920	Оцинковане	sZ	469
103103203300509	32	2 160	920	Оцинковане	zS	469

103103404070509	34	1 960	957	Неоцинковане	sZ	509
103103403070509	34	1 960	957	Неоцинковане	zS	509
103103404270509	34	1 960	957	Оцинковане	sZ	509
103103403270509	34	1 960	957	Оцинковане	zS	509
103103404100509	34	2 160	1 039	Неоцинковане	sZ	509
103103403100509	34	2 160	1 039	Неоцинковане	zS	509
103103404300509	34	2 160	1 039	Оцинковане	sZ	509
103103403300509	34	2 160	1 039	Оцинковане	zS	509
103103604070509	36	1 960	1 073	Неоцинковане	sZ	592
103103603070509	36	1 960	1 073	Неоцинковане	zS	592
103103604270509	36	1 960	1 073	Оцинковане	sZ	592
103103603270509	36	1 960	1 073	Оцинковане	zS	592
103103604100509	36	2 160	1 164	Неоцинковане	sZ	592
103103603100509	36	2 160	1 164	Неоцинковане	zS	592
103103604300509	36	2 160	1 164	Оцинковане	sZ	592
103103603300509	36	2 160	1 164	Оцинковане	zS	592
103103804070509	38	1 960	1 195	Неоцинковане	sZ	643
103103803070509	38	1 960	1 195	Неоцинковане	zS	643
103103804270509	38	1 960	1 195	Оцинковане	sZ	643
103103803270509	38	1 960	1 195	Оцинковане	zS	643
103103804100509	38	2 160	1 297	Неоцинковане	sZ	643
103103803100509	38	2 160	1 297	Неоцинковане	zS	643
103103804300509	38	2 160	1 297	Оцинковане	sZ	643



103103803300509	38	2 160	1 297	Оцинковане	zS	643
103104004070509	40	1 960	1 324	Неоцинковане	sZ	715
103104003070509	40	1 960	1 324	Неоцинковане	zS	715
103104004270509	40	1 960	1 324	Оцинковане	sZ	715
103104003270509	40	1 960	1 324	Оцинковане	zS	715
103104004100509	40	2 160	1 438	Неоцинковане	sZ	715
103104003100509	40	2 160	1 438	Неоцинковане	zS	715
103104004300509	40	2 160	1 438	Оцинковане	sZ	715
103104003300509	40	2 160	1 438	Оцинковане	zS	715
103104204070509	42	1 960	1 460	Неоцинковане	sZ	791