



## Chain Sling G80 2-leg with Safety Hooks and Grab Hooks

### Product information

High quality 2-leg chain sling equipped with self-locking hooks with shortening hooks. Manufactured with high quality grade 80 components. Chain slings are one of the most popular tools for lifting loads in various industries. They are ideal as auxiliary equipment for transporting and lifting loads. All our slings meet the requirements of EU standards and have CE marking. The main advantages of our lifting slings are high resistance to mechanical damage and temperature, they are 100% safe and offer high WLL with low own weight.

**Material:** Steel

**Marking:** According to standard, CE-marked

**Temperature range:** -40°C up to +200°C / 400°C = WLL 75%

**Finish:** Painted, black / yellow

**Standard:** EN 818-4

**Safety factor:** 4:1

**Grade:** 8

### Part Code

### WLL ton

42070602W

1.6

42070272W

1.6

42070241W

1.6

42070607W

1.6

42070599W

1.6

42070611W

1.6

42070613W

1.6

42070604W

1.6

42070615W	1.6
42070609W	1.6
42070617W	2.8
42070621W	2.8
42070619W	2.8
42070205W	2.8
42070266W	2.8
42070148W	2.8
42070182W	2.8
42070625W	2.8
42070627W	2.8
42070629W	2.8
42070551W	4.25
42070554W	4.25
42070553W	4.25
42070044W	4.25
42070405W	4.25
42070046W	4.25
42070557W	4.25
42070339W	4.25
42070560W	4.25
42070562W	4.25
42070564W	7.5

42070567W	7.5
42070565W	7.5
42070448W	7.5
42070569W	7.5
42070573W	7.5
42070571W	7.5
42070575W	7.5
42070577W	7.5
42070579W	7.5
42070585W	11.2
42070583W	11.2
42070589W	11.2
42070587W	11.2
42070267W	11.2
42070591W	11.2
42070593W	11.2
42070595W	11.2
42070597W	11.2

## Blueprint

