

Chain Sling G80 2-leg with Foundry Hooks and Grab Hooks



Product information

High quality 2-leg chain sling equipped with foundry hooks with shortening hooks. Manufactured with high quality grade 80 components. Chain slings are one of the most popular tools for lifting loads in various industries. They are ideal as auxiliary equipment for transporting and lifting loads. All our slings meet the requirements of EU standards and have CE marking. The main advantages of our lifting slings are high resistance to mechanical damage and temperature, they are 100% safe and offer high WLL with low own weight.

Material: Steel

Marking: According to standard, CE-marked

Temperature range: -40°C up to +200°C / 400°C = WLL 75%

Finish: Painted, black / yellow

Standard: EN 818-4

Safety factor: 4:1

Grade: 8

Part Code	WLL ton
42071081W	1.6
42070384W	1.6
42071086W	1.6
42071083W	1.6
42071095W	1.6
42071091W	1.6
42071089W	1.6
42071101W	1.6

42071099W	1.6
42071105W	1.6
42071109W	2.8
42071115W	2.8
42071113W	2.8
42070134W	2.8
42071117W	2.8
42071124W	2.8
42071120W	2.8
42071127W	2.8
42071130W	2.8
42071134W	2.8
42070986W	4.25
42070992W	4.25
42070990W	4.25
42070302W	4.25
42070994W	4.25
42071001W	4.25
42070998W	4.25
42071003W	4.25
42071005W	4.25
42071008W	4.25
42071012W	7.5

42071019W	7.5
42071016W	7.5
42071025W	7.5
42071021W	7.5
42071031W	7.5
42071027W	7.5
42071034W	7.5
42071037W	7.5
42071039W	7.5
42071051W	11.2
42071047W	11.2
42071059W	11.2
42071055W	11.2
42071066W	11.2
42071062W	11.2
42071069W	11.2
42071073W	11.2
42071077W	11.2

Blueprint

