



## Master Link A/S Grade 10

### Product information

Designed for use in 1-leg and 2-leg slings.

**Material:** Alloy steel.

**Marking:** According to standard, CE-marked, code and grade.

**Finish:** Violet powder coated.

**Standard:** EN 1677-4

**Warning:** Not to be heat-treated.

**Safety factor:** 4:1

**Grade:** 10

Part Code	Code	WLL ton	EWL	Chain mm	d mm	t mm	w mm	s mm	Weight kg
402100230280	A/S-13-10	2.3	110	6/7	13	110	60	10	0.34
402100350280	A/S-16-10	3.5	110	8	17	110	60	14	0.55
402100500280	A/S-18-10	5	135	10	19	135	75	14	0.94
402100760280	A/S-22-10	7.6	160	13	23	160	90	17	1.64
402101000280	A/S-26-10	10	180	16	27	180	100	20	2.53
402101400280	A/S-32-10	14	200	19	33	200	110	26	4.28
402102510280	A/S-36-10	25.1	260	22	36	260	140	-	6.22
402103080280	A/S-45-10	30.8	340	26	45	340	180	-	12.74
402104000280	A/S-50-10	40	350	26	50	350	190	-	16.55
402106400280	A/S-56-10	64	400	26	56	400	200	-	23.3

# Blueprint

