

## Steel wire rope veropro 8

### Product information



Wire rope construction: veropro 8 is a 8-strand, non rotation-resistant rope with compacted outer strands and a rope core covered with a plastic layer.

#### Features:

- Very high breaking strength.
- Very stabile rope construction with very good fatigue properties.
- A plastic layer between inner and outer strands prevents inner wear and protects the core from corrosion.
- Very high resistance against flattening and wear.
- Specially suitable for multilayer spooling (Lang Lay).

#### ISO 4309

**Rope Category No:** Up to 42mm **RCN.09**, 43-48mm **RCN.11**, > 48mm **RCN.13**

**Marking:** According to standard


**Standard:** EN 12385-4

**Warning:** veropro 8 may not be used with a swivel.


**Fill factor:** 0.666

**RCN:** 09

**Tolerance Ø:** +2% to +4%



Overhead cranes



Mobile port crane



Offshore crane



Loading crane



Crawler crane



Container crane



Piling crane



Tower crane



Deck crane



Straddle carrier



Part Code	Rope Diameter, mm	Tensile strength N/mm <sup>2</sup>	Steel area mm <sup>2</sup>	Min. Breaking force, kN	Finish	Rope lay.	Weight kg/100m
103100805050289	8	1,770	33	52.1	Bright	sS	28.8
103100804050289	8	1,770	33	52.1	Bright	sZ	28.8
103100803050289	8	1,770	33	52.1	Bright	zS	28.8
103100806050289	8	1,770	33	52.1	Bright	zZ	28.8
103100805250289	8	1,770	33	52.1	Galvanized	sS	28.8
103100804250289	8	1,770	33	52.1	Galvanized	sZ	28.8
103100803250289	8	1,770	33	52.1	Galvanized	zS	28.8
103100806250289	8	1,770	33	52.1	Galvanized	zZ	28.8
103100805070289	8	1,960	33	57.7	Bright	sS	28.8
103100804070289	8	1,960	33	57.7	Bright	sZ	28.8
103100803070289	8	1,960	33	57.7	Bright	zS	28.8
103100806070289	8	1,960	33	57.7	Bright	zZ	28.8
103100805270289	8	1,960	33	57.7	Galvanized	sS	28.8
103100804270289	8	1,960	33	57.7	Galvanized	sZ	28.8
103100803270289	8	1,960	33	57.7	Galvanized	zS	28.8
103100806270289	8	1,960	33	57.7	Galvanized	zZ	28.8
103100805100289	8	2,160	33	60.6	Bright	sS	28.8
103100804100289	8	2,160	33	60.6	Bright	sZ	28.8

103100803100289	8	2,160	33	60.6	Bright	zS	28.8
103100806100289	8	2,160	33	60.6	Bright	zZ	28.8
103100805300289	8	2,160	33	60.6	Galvanized	sS	28.8
103100804300289	8	2,160	33	60.6	Galvanized	sZ	28.8
103100803300289	8	2,160	33	60.6	Galvanized	zS	28.8
103100806300289	8	2,160	33	60.6	Galvanized	zZ	28.8
103100904250289	9	1,770	42	66	Galvanized	sZ	35.4
103100905050289	9	1,770	42	66	Bright	sS	36.4
103100904050289	9	1,770	42	66	Bright	sZ	36.4
103100903050289	9	1,770	42	66	Bright	zS	36.4
103100906050289	9	1,770	42	66	Bright	zZ	36.4
103100905250289	9	1,770	42	66	Galvanized	sS	36.4
103100903250289	9	1,770	42	66	Galvanized	zS	36.4
103100906250289	9	1,770	42	66	Galvanized	zZ	36.4
103100905070289	9	1,960	42	73	Bright	sS	36.4
103100904070289	9	1,960	42	73	Bright	sZ	36.4
103100903070289	9	1,960	42	73	Bright	zS	36.4
103100906070289	9	1,960	42	73	Bright	zZ	36.4
103100905270289	9	1,960	42	73	Galvanized	sS	36.4
103100904270289	9	1,960	42	73	Galvanized	sZ	36.4
103100903270289	9	1,960	42	73	Galvanized	zS	36.4
103100906270289	9	1,960	42	73	Galvanized	zZ	36.4
103100905100289	9	2,160	42	76.7	Bright	sS	36.4

103100904100289	9	2,160	42	76.7	Bright	sZ	36.4
103100903100289	9	2,160	42	76.7	Bright	zS	36.4
103100906100289	9	2,160	42	76.7	Bright	zZ	36.4
103100905300289	9	2,160	42	76.7	Galvanized	sS	36.4
103100904300289	9	2,160	42	76.7	Galvanized	sZ	36.4
103100903300289	9	2,160	42	76.7	Galvanized	zS	36.4
103100906300289	9	2,160	42	76.7	Galvanized	zZ	36.4
103101005050289	10	1,770	52	81.5	Bright	sS	45
103101004050289	10	1,770	52	81.5	Bright	sZ	45
103101003050289	10	1,770	52	81.5	Bright	zS	45
103101006050289	10	1,770	52	81.5	Bright	zZ	45
103101005250289	10	1,770	52	81.5	Galvanized	sS	45
103101004250289	10	1,770	52	81.5	Galvanized	sZ	45
103101003250289	10	1,770	52	81.5	Galvanized	zS	45
103101006250289	10	1,770	52	81.5	Galvanized	zZ	45
103101005070289	10	1,960	52	90.1	Bright	sS	45
103101004070289	10	1,960	52	90.1	Bright	sZ	45
103101003070289	10	1,960	52	90.1	Bright	zS	45
103101006070289	10	1,960	52	90.1	Bright	zZ	45
103101005270289	10	1,960	52	90.1	Galvanized	sS	45
103101004270289	10	1,960	52	90.1	Galvanized	sZ	45
103101003270289	10	1,960	52	90.1	Galvanized	zS	45
103101006270289	10	1,960	52	90.1	Galvanized	zZ	45

103101005100289	10	2,160	52	94.7	Bright	sS	45
103101004100289	10	2,160	52	94.7	Bright	sZ	45
103101003100289	10	2,160	52	94.7	Bright	zS	45
103101006100289	10	2,160	52	94.7	Bright	zZ	45
103101005300289	10	2,160	52	94.7	Galvanized	sS	45
103101004300289	10	2,160	52	94.7	Galvanized	sZ	45
103101003300289	10	2,160	52	94.7	Galvanized	zS	45
103101006300289	10	2,160	52	94.7	Galvanized	zZ	45
103101105050289	11	1,770	63	98.6	Bright	sS	54.4
103101104050289	11	1,770	63	98.6	Bright	sZ	54.4
103101103050289	11	1,770	63	98.6	Bright	zS	54.4
103101106050289	11	1,770	63	98.6	Bright	zZ	54.4
103101105250289	11	1,770	63	98.6	Galvanized	sS	54.4
103101104250289	11	1,770	63	98.6	Galvanized	sZ	54.4
103101103250289	11	1,770	63	98.6	Galvanized	zS	54.4
103101106250289	11	1,770	63	98.6	Galvanized	zZ	54.4
103101105070289	11	1,960	63	109.1	Bright	sS	54.4
103101104070289	11	1,960	63	109.1	Bright	sZ	54.4
103101103070289	11	1,960	63	109.1	Bright	zS	54.4
103101106070289	11	1,960	63	109.1	Bright	zZ	54.4
103101105270289	11	1,960	63	109.1	Galvanized	sS	54.4
103101104270289	11	1,960	63	109.1	Galvanized	sZ	54.4
103101103270289	11	1,960	63	109.1	Galvanized	zS	54.4

103101106270289	11	1,960	63	109.1	Galvanized	zZ	54.4
103101105100289	11	2,160	63	114.6	Bright	sS	54.4
103101104100289	11	2,160	63	114.6	Bright	sZ	54.4
103101103100289	11	2,160	63	114.6	Bright	zS	54.4
103101106100289	11	2,160	63	114.6	Bright	zZ	54.4
103101105300289	11	2,160	63	114.6	Galvanized	sS	54.4
103101104300289	11	2,160	63	114.6	Galvanized	sZ	54.4
103101103300289	11	2,160	63	114.6	Galvanized	zS	54.4
103101106300289	11	2,160	63	114.6	Galvanized	zZ	54.4
103101205050289	12	1,770	75	117.3	Bright	sS	64.8
103101204050289	12	1,770	75	117.3	Bright	sZ	64.8
103101203050289	12	1,770	75	117.3	Bright	zS	64.8
103101206050289	12	1,770	75	117.3	Bright	zZ	64.8
103101205250289	12	1,770	75	117.3	Galvanized	sS	64.8
103101204250289	12	1,770	75	117.3	Galvanized	sZ	64.8
103101203250289	12	1,770	75	117.3	Galvanized	zS	64.8
103101206250289	12	1,770	75	117.3	Galvanized	zZ	64.8
103101205070289	12	1,960	75	129.8	Bright	sS	64.8
103101204070289	12	1,960	75	129.8	Bright	sZ	64.8
103101203070289	12	1,960	75	129.8	Bright	zS	64.8
103101206070289	12	1,960	75	129.8	Bright	zZ	64.8
103101205270289	12	1,960	75	129.8	Galvanized	sS	64.8
103101204270289	12	1,960	75	129.8	Galvanized	sZ	64.8

103101203270289	12	1,960	75	129.8	Galvanized	zS	64.8
103101206270289	12	1,960	75	129.8	Galvanized	zZ	64.8
103101205100289	12	2,160	75	136.3	Bright	sS	64.8
103101204100289	12	2,160	75	136.3	Bright	sZ	64.8
103101203100289	12	2,160	75	136.3	Bright	zS	64.8
103101206100289	12	2,160	75	136.3	Bright	zZ	64.8
103101205300289	12	2,160	75	136.3	Galvanized	sS	64.8
103101204300289	12	2,160	75	136.3	Galvanized	sZ	64.8
103101203300289	12	2,160	75	136.3	Galvanized	zS	64.8
103101206300289	12	2,160	75	136.3	Galvanized	zZ	64.8
103101275050289	12.7	1,770	85	131.4	Bright	sS	72.6
103101274050289	12.7	1,770	85	131.4	Bright	sZ	72.6
103101273050289	12.7	1,770	85	131.4	Bright	zS	72.6
103101276050289	12.7	1,770	85	131.4	Bright	zZ	72.6
103101275250289	12.7	1,770	85	131.4	Galvanized	sS	72.6
103101274250289	12.7	1,770	85	131.4	Galvanized	sZ	72.6
103101273250289	12.7	1,770	85	131.4	Galvanized	zS	72.6
103101276250289	12.7	1,770	85	131.4	Galvanized	zZ	72.6
103101275070289	12.7	1,960	85	145.4	Bright	sS	72.6
103101274070289	12.7	1,960	85	145.4	Bright	sZ	72.6
103101273070289	12.7	1,960	85	145.4	Bright	zS	72.6
103101276070289	12.7	1,960	85	145.4	Bright	zZ	72.6
103101275270289	12.7	1,960	85	145.4	Galvanized	sS	72.6

103101274270289	12.7	1,960	85	145.4	Galvanized	sZ	72.6
103101273270289	12.7	1,960	85	145.4	Galvanized	zS	72.6
103101276270289	12.7	1,960	85	145.4	Galvanized	zZ	72.6
103101275100289	12.7	2,160	85	152.7	Bright	sS	72.6
103101274100289	12.7	2,160	85	152.7	Bright	sZ	72.6
103101273100289	12.7	2,160	85	152.7	Bright	zS	72.6
103101276100289	12.7	2,160	85	152.7	Bright	zZ	72.6
103101275300289	12.7	2,160	85	152.7	Galvanized	sS	72.6
103101274300289	12.7	2,160	85	152.7	Galvanized	sZ	72.6
103101273300289	12.7	2,160	85	152.7	Galvanized	zS	72.6
103101276300289	12.7	2,160	85	152.7	Galvanized	zZ	72.6
103101305050289	13	1,770	88	137.7	Bright	sS	76
103101304050289	13	1,770	88	137.7	Bright	sZ	76
103101303050289	13	1,770	88	137.7	Bright	zS	76
103101306050289	13	1,770	88	137.7	Bright	zZ	76
103101305250289	13	1,770	88	137.7	Galvanized	sS	76
103101304250289	13	1,770	88	137.7	Galvanized	sZ	76
103101303250289	13	1,770	88	137.7	Galvanized	zS	76
103101306250289	13	1,770	88	137.7	Galvanized	zZ	76
103101305070289	13	1,960	88	152.3	Bright	sS	76
103101304070289	13	1,960	88	152.3	Bright	sZ	76
103101303070289	13	1,960	88	152.3	Bright	zS	76
103101306070289	13	1,960	88	152.3	Bright	zZ	76



103101305270289	13	1,960	88	152.3	Galvanized	sS	76
103101304270289	13	1,960	88	152.3	Galvanized	sZ	76
103101303270289	13	1,960	88	152.3	Galvanized	zS	76
103101306270289	13	1,960	88	152.3	Galvanized	zZ	76
103101305100289	13	2,160	88	160	Bright	sS	76
103101304100289	13	2,160	88	160	Bright	sZ	76
103101303100289	13	2,160	88	160	Bright	zS	76
103101306100289	13	2,160	88	160	Bright	zZ	76
103101305300289	13	2,160	88	160	Galvanized	sS	76
103101304300289	13	2,160	88	160	Galvanized	sZ	76
103101303300289	13	2,160	88	160	Galvanized	zS	76
103101306300289	13	2,160	88	160	Galvanized	zZ	76
103101405050289	14	1,770	103	159.7	Bright	sS	88.2
103101404050289	14	1,770	103	159.7	Bright	sZ	88.2
103101403050289	14	1,770	103	159.7	Bright	zS	88.2
103101406050289	14	1,770	103	159.7	Bright	zZ	88.2
103101405250289	14	1,770	103	159.7	Galvanized	sS	88.2
103101404250289	14	1,770	103	159.7	Galvanized	sZ	88.2
103101403250289	14	1,770	103	159.7	Galvanized	zS	88.2
103101406250289	14	1,770	103	159.7	Galvanized	zZ	88.2
103101405070289	14	1,960	103	176.7	Bright	sS	88.2
103101404070289	14	1,960	103	176.7	Bright	sZ	88.2
103101403070289	14	1,960	103	176.7	Bright	zS	88.2

103101406070289	14	1,960	103	176.7	Bright	zZ	88.2
103101405270289	14	1,960	103	176.7	Galvanized	sS	88.2
103101404270289	14	1,960	103	176.7	Galvanized	sZ	88.2
103101403270289	14	1,960	103	176.7	Galvanized	zS	88.2
103101406270289	14	1,960	103	176.7	Galvanized	zZ	88.2
103101405100289	14	2,160	103	185.6	Bright	sS	88.2
103101404100289	14	2,160	103	185.6	Bright	sZ	88.2
103101403100289	14	2,160	103	185.6	Bright	zS	88.2
103101406100289	14	2,160	103	185.6	Bright	zZ	88.2
103101405300289	14	2,160	103	185.6	Galvanized	sS	88.2
103101404300289	14	2,160	103	185.6	Galvanized	sZ	88.2
103101403300289	14	2,160	103	185.6	Galvanized	zS	88.2
103101406300289	14	2,160	103	185.6	Galvanized	zZ	88.2
103101505050289	15	1,770	118	183.3	Bright	sS	101.2
103101504050289	15	1,770	118	183.3	Bright	sZ	101.2
103101503050289	15	1,770	118	183.3	Bright	zS	101.2
103101506050289	15	1,770	118	183.3	Bright	zZ	101.2
103101505250289	15	1,770	118	183.3	Galvanized	sS	101.2
103101504250289	15	1,770	118	183.3	Galvanized	sZ	101.2
103101503250289	15	1,770	118	183.3	Galvanized	zS	101.2
103101506250289	15	1,770	118	183.3	Galvanized	zZ	101.2
103101505070289	15	1,960	118	202.8	Bright	sS	101.2
103101504070289	15	1,960	118	202.8	Bright	sZ	101.2

103101503070289	15	1,960	118	202.8	Bright	zS	101.2
103101506070289	15	1,960	118	202.8	Bright	zZ	101.2
103101505270289	15	1,960	118	202.8	Galvanized	sS	101.2
103101504270289	15	1,960	118	202.8	Galvanized	sZ	101.2
103101503270289	15	1,960	118	202.8	Galvanized	zS	101.2
103101506270289	15	1,960	118	202.8	Galvanized	zZ	101.2
103101505100289	15	2,160	118	213	Bright	sS	101.2
103101504100289	15	2,160	118	213	Bright	sZ	101.2
103101503100289	15	2,160	118	213	Bright	zS	101.2
103101506100289	15	2,160	118	213	Bright	zZ	101.2
103101505300289	15	2,160	118	213	Galvanized	sS	101.2
103101504300289	15	2,160	118	213	Galvanized	sZ	101.2
103101503300289	15	2,160	118	213	Galvanized	zS	101.2
103101506300289	15	2,160	118	213	Galvanized	zZ	101.2
103101605050289	16	1,770	134	208.6	Bright	sS	115.2
103101604050289	16	1,770	134	208.6	Bright	sZ	115.2
103101603050289	16	1,770	134	208.6	Bright	zS	115.2
103101606050289	16	1,770	134	208.6	Bright	zZ	115.2
103101605250289	16	1,770	134	208.6	Galvanized	sS	115.2
103101604250289	16	1,770	134	208.6	Galvanized	sZ	115.2
103101603250289	16	1,770	134	208.6	Galvanized	zS	115.2
103101606250289	16	1,770	134	208.6	Galvanized	zZ	115.2
103101605070289	16	1,960	134	230.7	Bright	sS	115.2

103101604070289	16	1,960	134	230.7	Bright	sZ	115.2
103101603070289	16	1,960	134	230.7	Bright	zS	115.2
103101606070289	16	1,960	134	230.7	Bright	zZ	115.2
103101605270289	16	1,960	134	230.7	Galvanized	sS	115.2
103101604270289	16	1,960	134	230.7	Galvanized	sZ	115.2
103101603270289	16	1,960	134	230.7	Galvanized	zS	115.2
103101606270289	16	1,960	134	230.7	Galvanized	zZ	115.2
103101605100289	16	2,160	134	242.4	Bright	sS	115.2
103101604100289	16	2,160	134	242.4	Bright	sZ	115.2
103101603100289	16	2,160	134	242.4	Bright	zS	115.2
103101606100289	16	2,160	134	242.4	Bright	zZ	115.2
103101605300289	16	2,160	134	242.4	Galvanized	sS	115.2
103101604300289	16	2,160	134	242.4	Galvanized	sZ	115.2
103101603300289	16	2,160	134	242.4	Galvanized	zS	115.2
103101606300289	16	2,160	134	242.4	Galvanized	zZ	115.2
103101705050289	17	1,770	151	235.5	Bright	sS	130
103101704050289	17	1,770	151	235.5	Bright	sZ	130
103101703050289	17	1,770	151	235.5	Bright	zS	130
103101706050289	17	1,770	151	235.5	Bright	zZ	130
103101705250289	17	1,770	151	235.5	Galvanized	sS	130
103101704250289	17	1,770	151	235.5	Galvanized	sZ	130
103101703250289	17	1,770	151	235.5	Galvanized	zS	130
103101706250289	17	1,770	151	235.5	Galvanized	zZ	130

103101705070289	17	1,960	151	260.5	Bright	sS	130
103101704070289	17	1,960	151	260.5	Bright	sZ	130
103101703070289	17	1,960	151	260.5	Bright	zS	130
103101706070289	17	1,960	151	260.5	Bright	zZ	130
103101705270289	17	1,960	151	260.5	Galvanized	sS	130
103101704270289	17	1,960	151	260.5	Galvanized	sZ	130
103101703270289	17	1,960	151	260.5	Galvanized	zS	130
103101706270289	17	1,960	151	260.5	Galvanized	zZ	130
103101705100289	17	2,160	151	273.6	Bright	sS	130
103101704100289	17	2,160	151	273.6	Bright	sZ	130
103101703100289	17	2,160	151	273.6	Bright	zS	130
103101706100289	17	2,160	151	273.6	Bright	zZ	130
103101705300289	17	2,160	151	273.6	Galvanized	sS	130
103101704300289	17	2,160	151	273.6	Galvanized	sZ	130
103101703300289	17	2,160	151	273.6	Galvanized	zS	130
103101706300289	17	2,160	151	273.6	Galvanized	zZ	130
103101805050289	18	1,770	169	264	Bright	sS	146.7
103101804050289	18	1,770	169	264	Bright	sZ	146.7
103101803050289	18	1,770	169	264	Bright	zS	146.7
103101806050289	18	1,770	169	264	Bright	zZ	146.7
103101805250289	18	1,770	169	264	Galvanized	sS	146.7
103101804250289	18	1,770	169	264	Galvanized	sZ	146.7
103101803250289	18	1,770	169	264	Galvanized	zS	146.7

103101806250289	18	1,770	169	264	Galvanized	zZ	146.7
103101805070289	18	1,960	169	292	Bright	sS	146.7
103101804070289	18	1,960	169	292	Bright	sZ	146.7
103101803070289	18	1,960	169	292	Bright	zS	146.7
103101806070289	18	1,960	169	292	Bright	zZ	146.7
103101805270289	18	1,960	169	292	Galvanized	sS	146.7
103101804270289	18	1,960	169	292	Galvanized	sZ	146.7
103101803270289	18	1,960	169	292	Galvanized	zS	146.7
103101806270289	18	1,960	169	292	Galvanized	zZ	146.7
103101805100289	18	2,160	169	306.8	Bright	sS	146.7
103101804100289	18	2,160	169	306.8	Bright	sZ	146.7
103101803100289	18	2,160	169	306.8	Bright	zS	146.7
103101806100289	18	2,160	169	306.8	Bright	zZ	146.7
103101805300289	18	2,160	169	306.8	Galvanized	sS	146.7
103101804300289	18	2,160	169	306.8	Galvanized	sZ	146.7
103101803300289	18	2,160	169	306.8	Galvanized	zS	146.7
103101806300289	18	2,160	169	306.8	Galvanized	zZ	146.7
103101905050289	19	1,770	189	294.2	Bright	sS	162.4
103101904050289	19	1,770	189	294.2	Bright	sZ	162.4
103101903050289	19	1,770	189	294.2	Bright	zS	162.4
103101906050289	19	1,770	189	294.2	Bright	zZ	162.4
103101905250289	19	1,770	189	294.2	Galvanized	sS	162.4
103101904250289	19	1,770	189	294.2	Galvanized	sZ	162.4

103101903250289	19	1,770	189	294.2	Galvanized	zS	162.4
103101906250289	19	1,770	189	294.2	Galvanized	zZ	162.4
103101905070289	19	1,960	189	325.4	Bright	sS	162.4
103101904070289	19	1,960	189	325.4	Bright	sZ	162.4
103101903070289	19	1,960	189	325.4	Bright	zS	162.4
103101906070289	19	1,960	189	325.4	Bright	zZ	162.4
103101905270289	19	1,960	189	325.4	Galvanized	sS	162.4
103101904270289	19	1,960	189	325.4	Galvanized	sZ	162.4
103101903270289	19	1,960	189	325.4	Galvanized	zS	162.4
103101906270289	19	1,960	189	325.4	Galvanized	zZ	162.4
103101905100289	19	2,160	189	341.8	Bright	sS	162.4
103101904100289	19	2,160	189	341.8	Bright	sZ	162.4
103101903100289	19	2,160	189	341.8	Bright	zS	162.4
103101906100289	19	2,160	189	341.8	Bright	zZ	162.4
103101905300289	19	2,160	189	341.8	Galvanized	sS	162.4
103101904300289	19	2,160	189	341.8	Galvanized	sZ	162.4
103101903300289	19	2,160	189	341.8	Galvanized	zS	162.4
103101906300289	19	2,160	189	341.8	Galvanized	zZ	162.4
103102005050289	20	1,770	209	325.9	Bright	sS	179.9
103102004050289	20	1,770	209	325.9	Bright	sZ	179.9
103102003050289	20	1,770	209	325.9	Bright	zS	179.9
103102006050289	20	1,770	209	325.9	Bright	zZ	179.9
103102005250289	20	1,770	209	325.9	Galvanized	sS	179.9

103102004250289	20	1,770	209	325.9	Galvanized	sZ	179.9
103102003250289	20	1,770	209	325.9	Galvanized	zS	179.9
103102006250289	20	1,770	209	325.9	Galvanized	zZ	179.9
103102005070289	20	1,960	209	360.5	Bright	sS	179.9
103102004070289	20	1,960	209	360.5	Bright	sZ	179.9
103102003070289	20	1,960	209	360.5	Bright	zS	179.9
103102006070289	20	1,960	209	360.5	Bright	zZ	179.9
103102005270289	20	1,960	209	360.5	Galvanized	sS	179.9
103102004270289	20	1,960	209	360.5	Galvanized	sZ	179.9
103102003270289	20	1,960	209	360.5	Galvanized	zS	179.9
103102006270289	20	1,960	209	360.5	Galvanized	zZ	179.9
103102005100289	20	2,160	209	378.7	Bright	sS	179.9
103102004100289	20	2,160	209	378.7	Bright	sZ	179.9
103102003100289	20	2,160	209	378.7	Bright	zS	179.9
103102006100289	20	2,160	209	378.7	Bright	zZ	179.9
103102005300289	20	2,160	209	378.7	Galvanized	sS	179.9
103102004300289	20	2,160	209	378.7	Galvanized	sZ	179.9
103102003300289	20	2,160	209	378.7	Galvanized	zS	179.9
103102006300289	20	2,160	209	378.7	Galvanized	zZ	179.9
103102105050289	21	1,770	231	359.3	Bright	sS	198.4
103102104050289	21	1,770	231	359.3	Bright	sZ	198.4
103102103050289	21	1,770	231	359.3	Bright	zS	198.4
103102106050289	21	1,770	231	359.3	Bright	zZ	198.4



103102105250289	21	1,770	231	359.3	Galvanized	sS	198.4
103102104250289	21	1,770	231	359.3	Galvanized	sZ	198.4
103102103250289	21	1,770	231	359.3	Galvanized	zS	198.4
103102106250289	21	1,770	231	359.3	Galvanized	zZ	198.4
103102105070289	21	1,960	231	397.5	Bright	sS	198.4
103102104070289	21	1,960	231	397.5	Bright	sZ	198.4
103102103070289	21	1,960	231	397.5	Bright	zS	198.4
103102106070289	21	1,960	231	397.5	Bright	zZ	198.4
103102105270289	21	1,960	231	397.5	Galvanized	sS	198.4
103102104270289	21	1,960	231	397.5	Galvanized	sZ	198.4
103102103270289	21	1,960	231	397.5	Galvanized	zS	198.4
103102106270289	21	1,960	231	397.5	Galvanized	zZ	198.4
103102105100289	21	2,160	231	417.5	Bright	sS	198.4
103102104100289	21	2,160	231	417.5	Bright	sZ	198.4
103102103100289	21	2,160	231	417.5	Bright	zS	198.4
103102106100289	21	2,160	231	417.5	Bright	zZ	198.4
103102105300289	21	2,160	231	417.5	Galvanized	sS	198.4
103102104300289	21	2,160	231	417.5	Galvanized	sZ	198.4
103102103300289	21	2,160	231	417.5	Galvanized	zS	198.4
103102106300289	21	2,160	231	417.5	Galvanized	zZ	198.4
103102205050289	22	1,770	253	394.4	Bright	sS	217.7
103102204050289	22	1,770	253	394.4	Bright	sZ	217.7
103102203050289	22	1,770	253	394.4	Bright	zS	217.7

103102206050289	22	1,770	253	394.4	Bright	zZ	217.7
103102205250289	22	1,770	253	394.4	Galvanized	sS	217.7
103102204250289	22	1,770	253	394.4	Galvanized	sZ	217.7
103102203250289	22	1,770	253	394.4	Galvanized	zS	217.7
103102206250289	22	1,770	253	394.4	Galvanized	zZ	217.7
103102205070289	22	1,960	253	436.2	Bright	sS	217.7
103102204070289	22	1,960	253	436.2	Bright	sZ	217.7
103102203070289	22	1,960	253	436.2	Bright	zS	217.7
103102206070289	22	1,960	253	436.2	Bright	zZ	217.7
103102205270289	22	1,960	253	436.2	Galvanized	sS	217.7
103102204270289	22	1,960	253	436.2	Galvanized	sZ	217.7
103102203270289	22	1,960	253	436.2	Galvanized	zS	217.7
103102206270289	22	1,960	253	436.2	Galvanized	zZ	217.7
103102205100289	22	2,160	253	458.3	Bright	sS	217.7
103102204100289	22	2,160	253	458.3	Bright	sZ	217.7
103102203100289	22	2,160	253	458.3	Bright	zS	217.7
103102206100289	22	2,160	253	458.3	Bright	zZ	217.7
103102205300289	22	2,160	253	458.3	Galvanized	sS	217.7
103102204300289	22	2,160	253	458.3	Galvanized	sZ	217.7
103102203300289	22	2,160	253	458.3	Galvanized	zS	217.7
103102206300289	22	2,160	253	458.3	Galvanized	zZ	217.7
103102245050289	22.4	1,770	264	408.9	Bright	sS	225.7
103102244050289	22.4	1,770	264	408.9	Bright	sZ	225.7

103102243050289	22.4	1,770	264	408.9	Bright	zS	225.7
103102246050289	22.4	1,770	264	408.9	Bright	zZ	225.7
103102245250289	22.4	1,770	264	408.9	Galvanized	sS	225.7
103102244250289	22.4	1,770	264	408.9	Galvanized	sZ	225.7
103102243250289	22.4	1,770	264	408.9	Galvanized	zS	225.7
103102246250289	22.4	1,770	264	408.9	Galvanized	zZ	225.7
103102245070289	22.4	1,960	264	452.2	Bright	sS	225.7
103102244070289	22.4	1,960	264	452.2	Bright	sZ	225.7
103102243070289	22.4	1,960	264	452.2	Bright	zS	225.7
103102246070289	22.4	1,960	264	452.2	Bright	zZ	225.7
103102245270289	22.4	1,960	264	452.2	Galvanized	sS	225.7
103102244270289	22.4	1,960	264	452.2	Galvanized	sZ	225.7
103102243270289	22.4	1,960	264	452.2	Galvanized	zS	225.7
103102246270289	22.4	1,960	264	452.2	Galvanized	zZ	225.7
103102245100289	22.4	2,160	264	475.1	Bright	sS	225.7
103102244100289	22.4	2,160	264	475.1	Bright	sZ	225.7
103102243100289	22.4	2,160	264	475.1	Bright	zS	225.7
103102246100289	22.4	2,160	264	475.1	Bright	zZ	225.7
103102245300289	22.4	2,160	264	475.1	Galvanized	sS	225.7
103102244300289	22.4	2,160	264	475.1	Galvanized	sZ	225.7
103102243300289	22.4	2,160	264	475.1	Galvanized	zS	225.7
103102246300289	22.4	2,160	264	475.1	Galvanized	zZ	225.7
103102305050289	23	1,770	277	431	Bright	sS	238

103102304050289	23	1,770	277	431	Bright	sZ	238
103102303050289	23	1,770	277	431	Bright	zS	238
103102306050289	23	1,770	277	431	Bright	zZ	238
103102305250289	23	1,770	277	431	Galvanized	sS	238
103102304250289	23	1,770	277	431	Galvanized	sZ	238
103102303250289	23	1,770	277	431	Galvanized	zS	238
103102306250289	23	1,770	277	431	Galvanized	zZ	238
103102305070289	23	1,960	277	476.8	Bright	sS	238
103102304070289	23	1,960	277	476.8	Bright	sZ	238
103102303070289	23	1,960	277	476.8	Bright	zS	238
103102306070289	23	1,960	277	476.8	Bright	zZ	238
103102305270289	23	1,960	277	476.8	Galvanized	sS	238
103102304270289	23	1,960	277	476.8	Galvanized	sZ	238
103102303270289	23	1,960	277	476.8	Galvanized	zS	238
103102306270289	23	1,960	277	476.8	Galvanized	zZ	238
103102305100289	23	2,160	277	500.9	Bright	sS	238
103102304100289	23	2,160	277	500.9	Bright	sZ	238
103102303100289	23	2,160	277	500.9	Bright	zS	238
103102306100289	23	2,160	277	500.9	Bright	zZ	238
103102305300289	23	2,160	277	500.9	Galvanized	sS	238
103102304300289	23	2,160	277	500.9	Galvanized	sZ	238
103102303300289	23	2,160	277	500.9	Galvanized	zS	238
103102306300289	23	2,160	277	500.9	Galvanized	zZ	238

103102405050289	24	1,770	301	469.3	Bright	sS	259.1
103102404050289	24	1,770	301	469.3	Bright	sZ	259.1
103102403050289	24	1,770	301	469.3	Bright	zS	259.1
103102406050289	24	1,770	301	469.3	Bright	zZ	259.1
103102405250289	24	1,770	301	469.3	Galvanized	sS	259.1
103102404250289	24	1,770	301	469.3	Galvanized	sZ	259.1
103102403250289	24	1,770	301	469.3	Galvanized	zS	259.1
103102406250289	24	1,770	301	469.3	Galvanized	zZ	259.1
103102405070289	24	1,960	301	519.1	Bright	sS	259.1
103102404070289	24	1,960	301	519.1	Bright	sZ	259.1
103102403070289	24	1,960	301	519.1	Bright	zS	259.1
103102406070289	24	1,960	301	519.1	Bright	zZ	259.1
103102405270289	24	1,960	301	519.1	Galvanized	sS	259.1
103102404270289	24	1,960	301	519.1	Galvanized	sZ	259.1
103102403270289	24	1,960	301	519.1	Galvanized	zS	259.1
103102406270289	24	1,960	301	519.1	Galvanized	zZ	259.1
103102405100289	24	2,160	301	545.4	Bright	sS	259.1
103102404100289	24	2,160	301	545.4	Bright	sZ	259.1
103102403100289	24	2,160	301	545.4	Bright	zS	259.1
103102406100289	24	2,160	301	545.4	Bright	zZ	259.1
103102405300289	24	2,160	301	545.4	Galvanized	sS	259.1
103102404300289	24	2,160	301	545.4	Galvanized	sZ	259.1
103102403300289	24	2,160	301	545.4	Galvanized	zS	259.1

103102406300289	24	2,160	301	545.4	Galvanized	zZ	259.1
103102505050289	25	1,770	327	509.3	Bright	sS	281.2
103102504050289	25	1,770	327	509.3	Bright	sZ	281.2
103102503050289	25	1,770	327	509.3	Bright	zS	281.2
103102506050289	25	1,770	327	509.3	Bright	zZ	281.2
103102505250289	25	1,770	327	509.3	Galvanized	sS	281.2
103102504250289	25	1,770	327	509.3	Galvanized	sZ	281.2
103102503250289	25	1,770	327	509.3	Galvanized	zS	281.2
103102506250289	25	1,770	327	509.3	Galvanized	zZ	281.2
103102505070289	25	1,960	327	563.3	Bright	sS	281.2
103102504070289	25	1,960	327	563.3	Bright	sZ	281.2
103102503070289	25	1,960	327	563.3	Bright	zS	281.2
103102506070289	25	1,960	327	563.3	Bright	zZ	281.2
103102505270289	25	1,960	327	563.3	Galvanized	sS	281.2
103102504270289	25	1,960	327	563.3	Galvanized	sZ	281.2
103102503270289	25	1,960	327	563.3	Galvanized	zS	281.2
103102506270289	25	1,960	327	563.3	Galvanized	zZ	281.2
103102505100289	25	2,160	327	591.8	Bright	sS	281.2
103102504100289	25	2,160	327	591.8	Bright	sZ	281.2
103102503100289	25	2,160	327	591.8	Bright	zS	281.2
103102506100289	25	2,160	327	591.8	Bright	zZ	281.2
103102505300289	25	2,160	327	591.8	Galvanized	sS	281.2
103102504300289	25	2,160	327	591.8	Galvanized	sZ	281.2

103102503300289	25	2,160	327	591.8	Galvanized	zS	281.2
103102506300289	25	2,160	327	591.8	Galvanized	zZ	281.2
103102545050289	25.4	1,770	339	525.7	Bright	sS	290.2
103102544050289	25.4	1,770	339	525.7	Bright	sZ	290.2
103102543050289	25.4	1,770	339	525.7	Bright	zS	290.2
103102546050289	25.4	1,770	339	525.7	Bright	zZ	290.2
103102545250289	25.4	1,770	339	525.7	Galvanized	sS	290.2
103102544250289	25.4	1,770	339	525.7	Galvanized	sZ	290.2
103102543250289	25.4	1,770	339	525.7	Galvanized	zS	290.2
103102546250289	25.4	1,770	339	525.7	Galvanized	zZ	290.2
103102545070289	25.4	1,960	339	581.5	Bright	sS	290.2
103102544070289	25.4	1,960	339	581.5	Bright	sZ	290.2
103102543070289	25.4	1,960	339	581.5	Bright	zS	290.2
103102546070289	25.4	1,960	339	581.5	Bright	zZ	290.2
103102545270289	25.4	1,960	339	581.5	Galvanized	sS	290.2
103102544270289	25.4	1,960	339	581.5	Galvanized	sZ	290.2
103102543270289	25.4	1,960	339	581.5	Galvanized	zS	290.2
103102546270289	25.4	1,960	339	581.5	Galvanized	zZ	290.2
103102545100289	25.4	2,160	339	610.8	Bright	sS	290.2
103102544100289	25.4	2,160	339	610.8	Bright	sZ	290.2
103102543100289	25.4	2,160	339	610.8	Bright	zS	290.2
103102546100289	25.4	2,160	339	610.8	Bright	zZ	290.2
103102545300289	25.4	2,160	339	610.8	Galvanized	sS	290.2

103102544300289	25.4	2,160	339	610.8	Galvanized	sZ	290.2
103102543300289	25.4	2,160	339	610.8	Galvanized	zS	290.2
103102546300289	25.4	2,160	339	610.8	Galvanized	zZ	290.2
103102605050289	26	1,770	354	550.8	Bright	sS	304.1
103102604050289	26	1,770	354	550.8	Bright	sZ	304.1
103102603050289	26	1,770	354	550.8	Bright	zS	304.1
103102606050289	26	1,770	354	550.8	Bright	zZ	304.1
103102605250289	26	1,770	354	550.8	Galvanized	sS	304.1
103102604250289	26	1,770	354	550.8	Galvanized	sZ	304.1
103102603250289	26	1,770	354	550.8	Galvanized	zS	304.1
103102606250289	26	1,770	354	550.8	Galvanized	zZ	304.1
103102605070289	26	1,960	354	609.3	Bright	sS	304.1
103102604070289	26	1,960	354	609.3	Bright	sZ	304.1
103102603070289	26	1,960	354	609.3	Bright	zS	304.1
103102606070289	26	1,960	354	609.3	Bright	zZ	304.1
103102605270289	26	1,960	354	609.3	Galvanized	sS	304.1
103102604270289	26	1,960	354	609.3	Galvanized	sZ	304.1
103102603270289	26	1,960	354	609.3	Galvanized	zS	304.1
103102606270289	26	1,960	354	609.3	Galvanized	zZ	304.1
103102605100289	26	2,160	354	640	Bright	sS	304.1
103102604100289	26	2,160	354	640	Bright	sZ	304.1
103102603100289	26	2,160	354	640	Bright	zS	304.1
103102606100289	26	2,160	354	640	Bright	zZ	304.1



103102605300289	26	2,160	354	640	Galvanized	sS	304.1
103102604300289	26	2,160	354	640	Galvanized	sZ	304.1
103102603300289	26	2,160	354	640	Galvanized	zS	304.1
103102606300289	26	2,160	354	640	Galvanized	zZ	304.1
103102705050289	27	1,770	381	594	Bright	sS	327.9
103102704050289	27	1,770	381	594	Bright	sZ	327.9
103102703050289	27	1,770	381	594	Bright	zS	327.9
103102706050289	27	1,770	381	594	Bright	zZ	327.9
103102705250289	27	1,770	381	594	Galvanized	sS	327.9
103102704250289	27	1,770	381	594	Galvanized	sZ	327.9
103102703250289	27	1,770	381	594	Galvanized	zS	327.9
103102706250289	27	1,770	381	594	Galvanized	zZ	327.9
103102705070289	27	1,960	381	657	Bright	sS	327.9
103102704070289	27	1,960	381	657	Bright	sZ	327.9
103102703070289	27	1,960	381	657	Bright	zS	327.9
103102706070289	27	1,960	381	657	Bright	zZ	327.9
103102705270289	27	1,960	381	657	Galvanized	sS	327.9
103102704270289	27	1,960	381	657	Galvanized	sZ	327.9
103102703270289	27	1,960	381	657	Galvanized	zS	327.9
103102706270289	27	1,960	381	657	Galvanized	zZ	327.9
103102705100289	27	2,160	381	690.2	Bright	sS	327.9
103102704100289	27	2,160	381	690.2	Bright	sZ	327.9
103102703100289	27	2,160	381	690.2	Bright	zS	327.9

103102706100289	27	2,160	381	690.2	Bright	zZ	327.9
103102705300289	27	2,160	381	690.2	Galvanized	sS	327.9
103102704300289	27	2,160	381	690.2	Galvanized	sZ	327.9
103102703300289	27	2,160	381	690.2	Galvanized	zS	327.9
103102706300289	27	2,160	381	690.2	Galvanized	zZ	327.9
103102805050289	28	1,770	410	638.8	Bright	sS	352.7
103102804050289	28	1,770	410	638.8	Bright	sZ	352.7
103102803050289	28	1,770	410	638.8	Bright	zS	352.7
103102806050289	28	1,770	410	638.8	Bright	zZ	352.7
103102805250289	28	1,770	410	638.8	Galvanized	sS	352.7
103102804250289	28	1,770	410	638.8	Galvanized	sZ	352.7
103102803250289	28	1,770	410	638.8	Galvanized	zS	352.7
103102806250289	28	1,770	410	638.8	Galvanized	zZ	352.7
103102805070289	28	1,960	410	706.6	Bright	sS	352.7
103102804070289	28	1,960	410	706.6	Bright	sZ	352.7
103102803070289	28	1,960	410	706.6	Bright	zS	352.7
103102806070289	28	1,960	410	706.6	Bright	zZ	352.7
103102805270289	28	1,960	410	706.6	Galvanized	sS	352.7
103102804270289	28	1,960	410	706.6	Galvanized	sZ	352.7
103102803270289	28	1,960	410	706.6	Galvanized	zS	352.7
103102806270289	28	1,960	410	706.6	Galvanized	zZ	352.7
103102805100289	28	2,160	410	742.3	Bright	sS	352.7
103102804100289	28	2,160	410	742.3	Bright	sZ	352.7

103102803100289	28	2,160	410	742.3	Bright	zS	352.7
103102806100289	28	2,160	410	742.3	Bright	zZ	352.7
103102805300289	28	2,160	410	742.3	Galvanized	sS	352.7
103102804300289	28	2,160	410	742.3	Galvanized	sZ	352.7
103102803300289	28	2,160	410	742.3	Galvanized	zS	352.7
103102806300289	28	2,160	410	742.3	Galvanized	zZ	352.7
103102865050289	28.6	1,770	430	666.5	Bright	sS	368
103102864050289	28.6	1,770	430	666.5	Bright	sZ	368
103102863050289	28.6	1,770	430	666.5	Bright	zS	368
103102866050289	28.6	1,770	430	666.5	Bright	zZ	368
103102865250289	28.6	1,770	430	666.5	Galvanized	sS	368
103102864250289	28.6	1,770	430	666.5	Galvanized	sZ	368
103102863250289	28.6	1,770	430	666.5	Galvanized	zS	368
103102866250289	28.6	1,770	430	666.5	Galvanized	zZ	368
103102865070289	28.6	1,960	430	737.2	Bright	sS	368
103102864070289	28.6	1,960	430	737.2	Bright	sZ	368
103102863070289	28.6	1,960	430	737.2	Bright	zS	368
103102866070289	28.6	1,960	430	737.2	Bright	zZ	368
103102865270289	28.6	1,960	430	737.2	Galvanized	sS	368
103102864270289	28.6	1,960	430	737.2	Galvanized	sZ	368
103102863270289	28.6	1,960	430	737.2	Galvanized	zS	368
103102866270289	28.6	1,960	430	737.2	Galvanized	zZ	368
103102865100289	28.6	2,160	430	774.5	Bright	sS	368

103102864100289	28.6	2,160	430	774.5	Bright	sZ	368
103102863100289	28.6	2,160	430	774.5	Bright	zS	368
103102866100289	28.6	2,160	430	774.5	Bright	zZ	368
103102865300289	28.6	2,160	430	774.5	Galvanized	sS	368
103102864300289	28.6	2,160	430	774.5	Galvanized	sZ	368
103102863300289	28.6	2,160	430	774.5	Galvanized	zS	368
103102866300289	28.6	2,160	430	774.5	Galvanized	zZ	368
103102905050289	29	1,770	440	685.3	Bright	sS	378.3
103102904050289	29	1,770	440	685.3	Bright	sZ	378.3
103102903050289	29	1,770	440	685.3	Bright	zS	378.3
103102906050289	29	1,770	440	685.3	Bright	zZ	378.3
103102905250289	29	1,770	440	685.3	Galvanized	sS	378.3
103102904250289	29	1,770	440	685.3	Galvanized	sZ	378.3
103102903250289	29	1,770	440	685.3	Galvanized	zS	378.3
103102906250289	29	1,770	440	685.3	Galvanized	zZ	378.3
103102905070289	29	1,960	440	758	Bright	sS	378.3
103102904070289	29	1,960	440	758	Bright	sZ	378.3
103102903070289	29	1,960	440	758	Bright	zS	378.3
103102906070289	29	1,960	440	758	Bright	zZ	378.3
103102905270289	29	1,960	440	758	Galvanized	sS	378.3
103102904270289	29	1,960	440	758	Galvanized	sZ	378.3
103102903270289	29	1,960	440	758	Galvanized	zS	378.3
103102906270289	29	1,960	440	758	Galvanized	zZ	378.3

103102905100289	29	2,160	440	796.3	Bright	sS	378.3
103102904100289	29	2,160	440	796.3	Bright	sZ	378.3
103102903100289	29	2,160	440	796.3	Bright	zS	378.3
103102906100289	29	2,160	440	796.3	Bright	zZ	378.3
103102905300289	29	2,160	440	796.3	Galvanized	sS	378.3
103102904300289	29	2,160	440	796.3	Galvanized	sZ	378.3
103102903300289	29	2,160	440	796.3	Galvanized	zS	378.3
103102906300289	29	2,160	440	796.3	Galvanized	zZ	378.3
103103005050289	30	1,770	471	733.4	Bright	sS	404.9
103103004050289	30	1,770	471	733.4	Bright	sZ	404.9
103103003050289	30	1,770	471	733.4	Bright	zS	404.9
103103006050289	30	1,770	471	733.4	Bright	zZ	404.9
103103005250289	30	1,770	471	733.4	Galvanized	sS	404.9
103103004250289	30	1,770	471	733.4	Galvanized	sZ	404.9
103103003250289	30	1,770	471	733.4	Galvanized	zS	404.9
103103006250289	30	1,770	471	733.4	Galvanized	zZ	404.9
103103005070289	30	1,960	471	811.1	Bright	sS	404.9
103103004070289	30	1,960	471	811.1	Bright	sZ	404.9
103103003070289	30	1,960	471	811.1	Bright	zS	404.9
103103006070289	30	1,960	471	811.1	Bright	zZ	404.9
103103005270289	30	1,960	471	811.1	Galvanized	sS	404.9
103103004270289	30	1,960	471	811.1	Galvanized	sZ	404.9
103103003270289	30	1,960	471	811.1	Galvanized	zS	404.9

103103006270289	30	1,960	471	811.1	Galvanized	zZ	404.9
103103005100289	30	2,160	471	852.1	Bright	sS	404.9
103103004100289	30	2,160	471	852.1	Bright	sZ	404.9
103103003100289	30	2,160	471	852.1	Bright	zS	404.9
103103006100289	30	2,160	471	852.1	Bright	zZ	404.9
103103005300289	30	2,160	471	852.1	Galvanized	sS	404.9
103103004300289	30	2,160	471	852.1	Galvanized	sZ	404.9
103103003300289	30	2,160	471	852.1	Galvanized	zS	404.9
103103006300289	30	2,160	471	852.1	Galvanized	zZ	404.9
103103105050289	31	1,770	503	783.1	Bright	sS	432.3
103103104050289	31	1,770	503	783.1	Bright	sZ	432.3
103103103050289	31	1,770	503	783.1	Bright	zS	432.3
103103106050289	31	1,770	503	783.1	Bright	zZ	432.3
103103105250289	31	1,770	503	783.1	Galvanized	sS	432.3
103103104250289	31	1,770	503	783.1	Galvanized	sZ	432.3
103103103250289	31	1,770	503	783.1	Galvanized	zS	432.3
103103106250289	31	1,770	503	783.1	Galvanized	zZ	432.3
103103105070289	31	1,960	503	866.1	Bright	sS	432.3
103103104070289	31	1,960	503	866.1	Bright	sZ	432.3
103103103070289	31	1,960	503	866.1	Bright	zS	432.3
103103106070289	31	1,960	503	866.1	Bright	zZ	432.3
103103105270289	31	1,960	503	866.1	Galvanized	sS	432.3
103103104270289	31	1,960	503	866.1	Galvanized	sZ	432.3

103103103270289	31	1,960	503	866.1	Galvanized	zS	432.3
103103106270289	31	1,960	503	866.1	Galvanized	zZ	432.3
103103105100289	31	2,160	503	909.9	Bright	sS	432.3
103103104100289	31	2,160	503	909.9	Bright	sZ	432.3
103103103100289	31	2,160	503	909.9	Bright	zS	432.3
103103106100289	31	2,160	503	909.9	Bright	zZ	432.3
103103105300289	31	2,160	503	909.9	Galvanized	sS	432.3
103103104300289	31	2,160	503	909.9	Galvanized	sZ	432.3
103103103300289	31	2,160	503	909.9	Galvanized	zS	432.3
103103106300289	31	2,160	503	909.9	Galvanized	zZ	432.3
103103205050289	32	1,770	536	834.4	Bright	sS	460.6
103103204050289	32	1,770	536	834.4	Bright	sZ	460.6
103103203050289	32	1,770	536	834.4	Bright	zS	460.6
103103206050289	32	1,770	536	834.4	Bright	zZ	460.6
103103205250289	32	1,770	536	834.4	Galvanized	sS	460.6
103103204250289	32	1,770	536	834.4	Galvanized	sZ	460.6
103103203250289	32	1,770	536	834.4	Galvanized	zS	460.6
103103206250289	32	1,770	536	834.4	Galvanized	zZ	460.6
103103205070289	32	1,960	536	922.9	Bright	sS	460.6
103103204070289	32	1,960	536	922.9	Bright	sZ	460.6
103103203070289	32	1,960	536	922.9	Bright	zS	460.6
103103206070289	32	1,960	536	922.9	Bright	zZ	460.6
103103205270289	32	1,960	536	922.9	Galvanized	sS	460.6

103103204270289	32	1,960	536	922.9	Galvanized	sZ	460.6
103103203270289	32	1,960	536	922.9	Galvanized	zS	460.6
103103206270289	32	1,960	536	922.9	Galvanized	zZ	460.6
103103205100289	32	2,160	536	969.5	Bright	sS	460.6
103103204100289	32	2,160	536	969.5	Bright	sZ	460.6
103103203100289	32	2,160	536	969.5	Bright	zS	460.6
103103206100289	32	2,160	536	969.5	Bright	zZ	460.6
103103205300289	32	2,160	536	969.5	Galvanized	sS	460.6
103103204300289	32	2,160	536	969.5	Galvanized	sZ	460.6
103103203300289	32	2,160	536	969.5	Galvanized	zS	460.6
103103206300289	32	2,160	536	969.5	Galvanized	zZ	460.6
103103305050289	33	1,770	570	887.4	Bright	sS	489.9
103103304050289	33	1,770	570	887.4	Bright	sZ	489.9
103103303050289	33	1,770	570	887.4	Bright	zS	489.9
103103306050289	33	1,770	570	887.4	Bright	zZ	489.9
103103305250289	33	1,770	570	887.4	Galvanized	sS	489.9
103103304250289	33	1,770	570	887.4	Galvanized	sZ	489.9
103103303250289	33	1,770	570	887.4	Galvanized	zS	489.9
103103306250289	33	1,770	570	887.4	Galvanized	zZ	489.9
103103305070289	33	1,960	570	981.5	Bright	sS	489.9
103103304070289	33	1,960	570	981.5	Bright	sZ	489.9
103103303070289	33	1,960	570	981.5	Bright	zS	489.9
103103306070289	33	1,960	570	981.5	Bright	zZ	489.9



103103305270289	33	1,960	570	981.5	Galvanized	sS	489.9
103103304270289	33	1,960	570	981.5	Galvanized	sZ	489.9
103103303270289	33	1,960	570	981.5	Galvanized	zS	489.9
103103306270289	33	1,960	570	981.5	Galvanized	zZ	489.9
103103305100289	33	2,160	570	1,031	Bright	sS	489.9
103103304100289	33	2,160	570	1,031	Bright	sZ	489.9
103103303100289	33	2,160	570	1,031	Bright	zS	489.9
103103306100289	33	2,160	570	1,031	Bright	zZ	489.9
103103305300289	33	2,160	570	1,031	Galvanized	sS	489.9
103103304300289	33	2,160	570	1,031	Galvanized	sZ	489.9
103103303300289	33	2,160	570	1,031	Galvanized	zS	489.9
103103306300289	33	2,160	570	1,031	Galvanized	zZ	489.9
103103405050289	34	1,770	605	941.9	Bright	sS	520
103103404050289	34	1,770	605	941.9	Bright	sZ	520
103103403050289	34	1,770	605	941.9	Bright	zS	520
103103406050289	34	1,770	605	941.9	Bright	zZ	520
103103405250289	34	1,770	605	941.9	Galvanized	sS	520
103103404250289	34	1,770	605	941.9	Galvanized	sZ	520
103103403250289	34	1,770	605	941.9	Galvanized	zS	520
103103406250289	34	1,770	605	941.9	Galvanized	zZ	520
103103405070289	34	1,960	605	1,042	Bright	sS	520
103103404070289	34	1,960	605	1,042	Bright	sZ	520
103103403070289	34	1,960	605	1,042	Bright	zS	520

103103406070289	34	1,960	605	1,042	Bright	zZ	520
103103405270289	34	1,960	605	1,042	Galvanized	sS	520
103103404270289	34	1,960	605	1,042	Galvanized	sZ	520
103103403270289	34	1,960	605	1,042	Galvanized	zS	520
103103406270289	34	1,960	605	1,042	Galvanized	zZ	520
103103405100289	34	2,160	605	1,095	Bright	sS	520
103103404100289	34	2,160	605	1,095	Bright	sZ	520
103103403100289	34	2,160	605	1,095	Bright	zS	520
103103406100289	34	2,160	605	1,095	Bright	zZ	520
103103405300289	34	2,160	605	1,095	Galvanized	sS	520
103103404300289	34	2,160	605	1,095	Galvanized	sZ	520
103103403300289	34	2,160	605	1,095	Galvanized	zS	520
103103406300289	34	2,160	605	1,095	Galvanized	zZ	520
103103505050289	35	1,770	641	998.2	Bright	sS	551.1
103103504050289	35	1,770	641	998.2	Bright	sZ	551.1
103103503050289	35	1,770	641	998.2	Bright	zS	551.1
103103506050289	35	1,770	641	998.2	Bright	zZ	551.1
103103505250289	35	1,770	641	998.2	Galvanized	sS	551.1
103103504250289	35	1,770	641	998.2	Galvanized	sZ	551.1
103103503250289	35	1,770	641	998.2	Galvanized	zS	551.1
103103506250289	35	1,770	641	998.2	Galvanized	zZ	551.1
103103505070289	35	1,960	641	1,104	Bright	sS	551.1
103103504070289	35	1,960	641	1,104	Bright	sZ	551.1

103103503070289	35	1,960	641	1,104	Bright	zS	551.1
103103506070289	35	1,960	641	1,104	Bright	zZ	551.1
103103505270289	35	1,960	641	1,104	Galvanized	sS	551.1
103103504270289	35	1,960	641	1,104	Galvanized	sZ	551.1
103103503270289	35	1,960	641	1,104	Galvanized	zS	551.1
103103506270289	35	1,960	641	1,104	Galvanized	zZ	551.1
103103505100289	35	2,160	641	1,160	Bright	sS	551.1
103103504100289	35	2,160	641	1,160	Bright	sZ	551.1
103103503100289	35	2,160	641	1,160	Bright	zS	551.1
103103506100289	35	2,160	641	1,160	Bright	zZ	551.1
103103505300289	35	2,160	641	1,160	Galvanized	sS	551.1
103103504300289	35	2,160	641	1,160	Galvanized	sZ	551.1
103103503300289	35	2,160	641	1,160	Galvanized	zS	551.1
103103506300289	35	2,160	641	1,160	Galvanized	zZ	551.1
103103605050289	36	1,770	678	1,056	Bright	sS	583
103103604050289	36	1,770	678	1,056	Bright	sZ	583
103103603050289	36	1,770	678	1,056	Bright	zS	583
103103606050289	36	1,770	678	1,056	Bright	zZ	583
103103605250289	36	1,770	678	1,056	Galvanized	sS	583
103103604250289	36	1,770	678	1,056	Galvanized	sZ	583
103103603250289	36	1,770	678	1,056	Galvanized	zS	583
103103606250289	36	1,770	678	1,056	Galvanized	zZ	583
103103605070289	36	1,960	678	1,168	Bright	sS	583

103103604070289	36	1,960	678	1,168	Bright	sZ	583
103103603070289	36	1,960	678	1,168	Bright	zS	583
103103606070289	36	1,960	678	1,168	Bright	zZ	583
103103605270289	36	1,960	678	1,168	Galvanized	sS	583
103103604270289	36	1,960	678	1,168	Galvanized	sZ	583
103103603270289	36	1,960	678	1,168	Galvanized	zS	583
103103606270289	36	1,960	678	1,168	Galvanized	zZ	583
103103605100289	36	2,160	678	1,227	Bright	sS	583
103103604100289	36	2,160	678	1,227	Bright	sZ	583
103103603100289	36	2,160	678	1,227	Bright	zS	583
103103606100289	36	2,160	678	1,227	Bright	zZ	583
103103605300289	36	2,160	678	1,227	Galvanized	sS	583
103103604300289	36	2,160	678	1,227	Galvanized	sZ	583
103103603300289	36	2,160	678	1,227	Galvanized	zS	583
103103606300289	36	2,160	678	1,227	Galvanized	zZ	583
103103805050289	38	1,770	755	1,177	Bright	sS	649.6
103103804050289	38	1,770	755	1,177	Bright	sZ	649.6
103103803050289	38	1,770	755	1,177	Bright	zS	649.6
103103806050289	38	1,770	755	1,177	Bright	zZ	649.6
103103805250289	38	1,770	755	1,177	Galvanized	sS	649.6
103103804250289	38	1,770	755	1,177	Galvanized	sZ	649.6
103103803250289	38	1,770	755	1,177	Galvanized	zS	649.6
103103806250289	38	1,770	755	1,177	Galvanized	zZ	649.6

103103805070289	38	1,960	755	1,301	Bright	sS	649.6
103103804070289	38	1,960	755	1,301	Bright	sZ	649.6
103103803070289	38	1,960	755	1,301	Bright	zS	649.6
103103806070289	38	1,960	755	1,301	Bright	zZ	649.6
103103805270289	38	1,960	755	1,301	Galvanized	sS	649.6
103103804270289	38	1,960	755	1,301	Galvanized	sZ	649.6
103103803270289	38	1,960	755	1,301	Galvanized	zS	649.6
103103806270289	38	1,960	755	1,301	Galvanized	zZ	649.6
103103805100289	38	2,160	755	1,367	Bright	sS	649.6
103103804100289	38	2,160	755	1,367	Bright	sZ	649.6
103103803100289	38	2,160	755	1,367	Bright	zS	649.6
103103806100289	38	2,160	755	1,367	Bright	zZ	649.6
103103805300289	38	2,160	755	1,367	Galvanized	sS	649.6
103103804300289	38	2,160	755	1,367	Galvanized	sZ	649.6
103103803300289	38	2,160	755	1,367	Galvanized	zS	649.6
103103806300289	38	2,160	755	1,367	Galvanized	zZ	649.6
103104005050289	40	1,770	837	1,304	Bright	sS	719.8
103104004050289	40	1,770	837	1,304	Bright	sZ	719.8
103104003050289	40	1,770	837	1,304	Bright	zS	719.8
103104006050289	40	1,770	837	1,304	Bright	zZ	719.8
103104005250289	40	1,770	837	1,304	Galvanized	sS	719.8
103104004250289	40	1,770	837	1,304	Galvanized	sZ	719.8
103104003250289	40	1,770	837	1,304	Galvanized	zS	719.8

103104006250289	40	1,770	837	1,304	Galvanized	zZ	719.8
103104005070289	40	1,960	837	1,442	Bright	sS	719.8
103104004070289	40	1,960	837	1,442	Bright	sZ	719.8
103104003070289	40	1,960	837	1,442	Bright	zS	719.8
103104006070289	40	1,960	837	1,442	Bright	zZ	719.8
103104005270289	40	1,960	837	1,442	Galvanized	sS	719.8
103104004270289	40	1,960	837	1,442	Galvanized	sZ	719.8
103104003270289	40	1,960	837	1,442	Galvanized	zS	719.8
103104006270289	40	1,960	837	1,442	Galvanized	zZ	719.8
103104005100289	40	2,160	837	1,515	Bright	sS	719.8
103104004100289	40	2,160	837	1,515	Bright	sZ	719.8
103104003100289	40	2,160	837	1,515	Bright	zS	719.8
103104006100289	40	2,160	837	1,515	Bright	zZ	719.8
103104005300289	40	2,160	837	1,515	Galvanized	sS	719.8
103104004300289	40	2,160	837	1,515	Galvanized	sZ	719.8
103104003300289	40	2,160	837	1,515	Galvanized	zS	719.8
103104006300289	40	2,160	837	1,515	Galvanized	zZ	719.8
103104135050289	41.3	1,770	897	1,390	Bright	sS	767.3
103104134050289	41.3	1,770	897	1,390	Bright	sZ	767.3
103104133050289	41.3	1,770	897	1,390	Bright	zS	767.3
103104136050289	41.3	1,770	897	1,390	Bright	zZ	767.3
103104135250289	41.3	1,770	897	1,390	Galvanized	sS	767.3
103104134250289	41.3	1,770	897	1,390	Galvanized	sZ	767.3

103104133250289	41.3	1,770	897	1,390	Galvanized	zS	767.3
103104136250289	41.3	1,770	897	1,390	Galvanized	zZ	767.3
103104135070289	41.3	1,960	897	1,537	Bright	sS	767.3
103104134070289	41.3	1,960	897	1,537	Bright	sZ	767.3
103104133070289	41.3	1,960	897	1,537	Bright	zS	767.3
103104136070289	41.3	1,960	897	1,537	Bright	zZ	767.3
103104135270289	41.3	1,960	897	1,537	Galvanized	sS	767.3
103104134270289	41.3	1,960	897	1,537	Galvanized	sZ	767.3
103104133270289	41.3	1,960	897	1,537	Galvanized	zS	767.3
103104136270289	41.3	1,960	897	1,537	Galvanized	zZ	767.3
103104135100289	41.3	2,160	897	1,615	Bright	sS	767.3
103104134100289	41.3	2,160	897	1,615	Bright	sZ	767.3
103104133100289	41.3	2,160	897	1,615	Bright	zS	767.3
103104136100289	41.3	2,160	897	1,615	Bright	zZ	767.3
103104135300289	41.3	2,160	897	1,615	Galvanized	sS	767.3
103104134300289	41.3	2,160	897	1,615	Galvanized	sZ	767.3
103104133300289	41.3	2,160	897	1,615	Galvanized	zS	767.3
103104136300289	41.3	2,160	897	1,615	Galvanized	zZ	767.3
103104205050289	42	1,770	923	1,437	Bright	sS	793.5
103104204050289	42	1,770	923	1,437	Bright	sZ	793.5
103104203050289	42	1,770	923	1,437	Bright	zS	793.5
103104206050289	42	1,770	923	1,437	Bright	zZ	793.5
103104205250289	42	1,770	923	1,437	Galvanized	sS	793.5

103104204250289	42	1,770	923	1,437	Galvanized	sZ	793.5
103104203250289	42	1,770	923	1,437	Galvanized	zS	793.5
103104206250289	42	1,770	923	1,437	Galvanized	zZ	793.5
103104205070289	42	1,960	923	1,590	Bright	sS	793.5
103104204070289	42	1,960	923	1,590	Bright	sZ	793.5
103104203070289	42	1,960	923	1,590	Bright	zS	793.5
103104206070289	42	1,960	923	1,590	Bright	zZ	793.5
103104205270289	42	1,960	923	1,590	Galvanized	sS	793.5
103104204270289	42	1,960	923	1,590	Galvanized	sZ	793.5
103104203270289	42	1,960	923	1,590	Galvanized	zS	793.5
103104206270289	42	1,960	923	1,590	Galvanized	zZ	793.5
103104205100289	42	2,160	923	1,670	Bright	sS	793.5
103104204100289	42	2,160	923	1,670	Bright	sZ	793.5
103104203100289	42	2,160	923	1,670	Bright	zS	793.5
103104206100289	42	2,160	923	1,670	Bright	zZ	793.5
103104205300289	42	2,160	923	1,670	Galvanized	sS	793.5
103104204300289	42	2,160	923	1,670	Galvanized	sZ	793.5
103104203300289	42	2,160	923	1,670	Galvanized	zS	793.5
103104206300289	42	2,160	923	1,670	Galvanized	zZ	793.5
103104405050289	44	1,770	1,013	1,578	Bright	sS	870.9
103104404050289	44	1,770	1,013	1,578	Bright	sZ	870.9
103104403050289	44	1,770	1,013	1,578	Bright	zS	870.9
103104406050289	44	1,770	1,013	1,578	Bright	zZ	870.9



103104405250289	44	1,770	1,013	1,578	Galvanized	sS	870.9
103104404250289	44	1,770	1,013	1,578	Galvanized	sZ	870.9
103104403250289	44	1,770	1,013	1,578	Galvanized	zS	870.9
103104406250289	44	1,770	1,013	1,578	Galvanized	zZ	870.9
103104405070289	44	1,960	1,013	1,745	Bright	sS	870.9
103104404070289	44	1,960	1,013	1,745	Bright	sZ	870.9
103104403070289	44	1,960	1,013	1,745	Bright	zS	870.9
103104406070289	44	1,960	1,013	1,745	Bright	zZ	870.9
103104405270289	44	1,960	1,013	1,745	Galvanized	sS	870.9
103104404270289	44	1,960	1,013	1,745	Galvanized	sZ	870.9
103104403270289	44	1,960	1,013	1,745	Galvanized	zS	870.9
103104406270289	44	1,960	1,013	1,745	Galvanized	zZ	870.9
103104405100289	44	2,160	1,013	1,833	Bright	sS	870.9
103104404100289	44	2,160	1,013	1,833	Bright	sZ	870.9
103104403100289	44	2,160	1,013	1,833	Bright	zS	870.9
103104406100289	44	2,160	1,013	1,833	Bright	zZ	870.9
103104405300289	44	2,160	1,013	1,833	Galvanized	sS	870.9
103104404300289	44	2,160	1,013	1,833	Galvanized	sZ	870.9
103104403300289	44	2,160	1,013	1,833	Galvanized	zS	870.9
103104406300289	44	2,160	1,013	1,833	Galvanized	zZ	870.9
103104505050289	45	1,770	1,059	1,650	Bright	sS	910.9
103104504050289	45	1,770	1,059	1,650	Bright	sZ	910.9
103104503050289	45	1,770	1,059	1,650	Bright	zS	910.9

103104506050289	45	1,770	1,059	1,650	Bright	zZ	910.9
103104505250289	45	1,770	1,059	1,650	Galvanized	sS	910.9
103104504250289	45	1,770	1,059	1,650	Galvanized	sZ	910.9
103104503250289	45	1,770	1,059	1,650	Galvanized	zS	910.9
103104506250289	45	1,770	1,059	1,650	Galvanized	zZ	910.9
103104505070289	45	1,960	1,059	1,825	Bright	sS	910.9
103104504070289	45	1,960	1,059	1,825	Bright	sZ	910.9
103104503070289	45	1,960	1,059	1,825	Bright	zS	910.9
103104506070289	45	1,960	1,059	1,825	Bright	zZ	910.9
103104505270289	45	1,960	1,059	1,825	Galvanized	sS	910.9
103104504270289	45	1,960	1,059	1,825	Galvanized	sZ	910.9
103104503270289	45	1,960	1,059	1,825	Galvanized	zS	910.9
103104506270289	45	1,960	1,059	1,825	Galvanized	zZ	910.9
103104505100289	45	2,160	1,059	1,917	Bright	sS	910.9
103104504100289	45	2,160	1,059	1,917	Bright	sZ	910.9
103104503100289	45	2,160	1,059	1,917	Bright	zS	910.9
103104506100289	45	2,160	1,059	1,917	Bright	zZ	910.9
103104505300289	45	2,160	1,059	1,917	Galvanized	sS	910.9
103104504300289	45	2,160	1,059	1,917	Galvanized	sZ	910.9
103104503300289	45	2,160	1,059	1,917	Galvanized	zS	910.9
103104506300289	45	2,160	1,059	1,917	Galvanized	zZ	910.9
103104605050289	46	1,770	1,107	1,724	Bright	sS	951.9
103104604050289	46	1,770	1,107	1,724	Bright	sZ	951.9

103104603050289	46	1,770	1,107	1,724	Bright	zS	951.9
103104606050289	46	1,770	1,107	1,724	Bright	zZ	951.9
103104605250289	46	1,770	1,107	1,724	Galvanized	sS	951.9
103104604250289	46	1,770	1,107	1,724	Galvanized	sZ	951.9
103104603250289	46	1,770	1,107	1,724	Galvanized	zS	951.9
103104606250289	46	1,770	1,107	1,724	Galvanized	zZ	951.9
103104605070289	46	1,960	1,107	1,907	Bright	sS	951.9
103104604070289	46	1,960	1,107	1,907	Bright	sZ	951.9
103104603070289	46	1,960	1,107	1,907	Bright	zS	951.9
103104606070289	46	1,960	1,107	1,907	Bright	zZ	951.9
103104605270289	46	1,960	1,107	1,907	Galvanized	sS	951.9
103104604270289	46	1,960	1,107	1,907	Galvanized	sZ	951.9
103104603270289	46	1,960	1,107	1,907	Galvanized	zS	951.9
103104606270289	46	1,960	1,107	1,907	Galvanized	zZ	951.9
103104605100289	46	2,160	1,107	2,003	Bright	sS	951.9
103104604100289	46	2,160	1,107	2,003	Bright	sZ	951.9
103104603100289	46	2,160	1,107	2,003	Bright	zS	951.9
103104606100289	46	2,160	1,107	2,003	Bright	zZ	951.9
103104605300289	46	2,160	1,107	2,003	Galvanized	sS	951.9
103104604300289	46	2,160	1,107	2,003	Galvanized	sZ	951.9
103104603300289	46	2,160	1,107	2,003	Galvanized	zS	951.9
103104606300289	46	2,160	1,107	2,003	Galvanized	zZ	951.9
103104755050289	47.5	1,770	1,187	1,838	Bright	sS	1,015

103104754050289	47.5	1,770	1,187	1,838	Bright	sZ	1,015
103104753050289	47.5	1,770	1,187	1,838	Bright	zS	1,015
103104756050289	47.5	1,770	1,187	1,838	Bright	zZ	1,015
103104755250289	47.5	1,770	1,187	1,838	Galvanized	sS	1,015
103104754250289	47.5	1,770	1,187	1,838	Galvanized	sZ	1,015
103104753250289	47.5	1,770	1,187	1,838	Galvanized	zS	1,015
103104756250289	47.5	1,770	1,187	1,838	Galvanized	zZ	1,015
103104755070289	47.5	1,960	1,187	2,034	Bright	sS	1,015
103104754070289	47.5	1,960	1,187	2,034	Bright	sZ	1,015
103104753070289	47.5	1,960	1,187	2,034	Bright	zS	1,015
103104756070289	47.5	1,960	1,187	2,034	Bright	zZ	1,015
103104755270289	47.5	1,960	1,187	2,034	Galvanized	sS	1,015
103104754270289	47.5	1,960	1,187	2,034	Galvanized	sZ	1,015
103104753270289	47.5	1,960	1,187	2,034	Galvanized	zS	1,015
103104756270289	47.5	1,960	1,187	2,034	Galvanized	zZ	1,015
103104755100289	47.5	2,160	1,187	2,136	Bright	sS	1,015
103104754100289	47.5	2,160	1,187	2,136	Bright	sZ	1,015
103104753100289	47.5	2,160	1,187	2,136	Bright	zS	1,015
103104756100289	47.5	2,160	1,187	2,136	Bright	zZ	1,015
103104755300289	47.5	2,160	1,187	2,136	Galvanized	sS	1,015
103104754300289	47.5	2,160	1,187	2,136	Galvanized	sZ	1,015
103104753300289	47.5	2,160	1,187	2,136	Galvanized	zS	1,015
103104756300289	47.5	2,160	1,187	2,136	Galvanized	zZ	1,015

103104805050289	48	1,770	1,205	1,877	Bright	sS	1,036.4
103104804050289	48	1,770	1,205	1,877	Bright	sZ	1,036.4
103104803050289	48	1,770	1,205	1,877	Bright	zS	1,036.4
103104806050289	48	1,770	1,205	1,877	Bright	zZ	1,036.4
103104805250289	48	1,770	1,205	1,877	Galvanized	sS	1,036.4
103104804250289	48	1,770	1,205	1,877	Galvanized	sZ	1,036.4
103104803250289	48	1,770	1,205	1,877	Galvanized	zS	1,036.4
103104806250289	48	1,770	1,205	1,877	Galvanized	zZ	1,036.4
103104805070289	48	1,960	1,205	2,077	Bright	sS	1,036.4
103104804070289	48	1,960	1,205	2,077	Bright	sZ	1,036.4
103104803070289	48	1,960	1,205	2,077	Bright	zS	1,036.4
103104806070289	48	1,960	1,205	2,077	Bright	zZ	1,036.4
103104805270289	48	1,960	1,205	2,077	Galvanized	sS	1,036.4
103104804270289	48	1,960	1,205	2,077	Galvanized	sZ	1,036.4
103104803270289	48	1,960	1,205	2,077	Galvanized	zS	1,036.4
103104806270289	48	1,960	1,205	2,077	Galvanized	zZ	1,036.4
103104805100289	48	2,160	1,205	2,181	Bright	sS	1,036.4
103104804100289	48	2,160	1,205	2,181	Bright	sZ	1,036.4
103104803100289	48	2,160	1,205	2,181	Bright	zS	1,036.4
103104806100289	48	2,160	1,205	2,181	Bright	zZ	1,036.4
103104805300289	48	2,160	1,205	2,181	Galvanized	sS	1,036.4
103104804300289	48	2,160	1,205	2,181	Galvanized	sZ	1,036.4
103104803300289	48	2,160	1,205	2,181	Galvanized	zS	1,036.4

103104806300289	48	2,160	1,205	2,181	Galvanized	zZ	1,036.4
103105005050289	50	1,770	1,308	2,037	Bright	sS	1,124.6
103105004050289	50	1,770	1,308	2,037	Bright	sZ	1,124.6
103105003050289	50	1,770	1,308	2,037	Bright	zS	1,124.6
103105006050289	50	1,770	1,308	2,037	Bright	zZ	1,124.6
103105005250289	50	1,770	1,308	2,037	Galvanized	sS	1,124.6
103105004250289	50	1,770	1,308	2,037	Galvanized	sZ	1,124.6
103105003250289	50	1,770	1,308	2,037	Galvanized	zS	1,124.6
103105006250289	50	1,770	1,308	2,037	Galvanized	zZ	1,124.6
103105005070289	50	1,960	1,308	2,253	Bright	sS	1,124.6
103105004070289	50	1,960	1,308	2,253	Bright	sZ	1,124.6
103105003070289	50	1,960	1,308	2,253	Bright	zS	1,124.6
103105006070289	50	1,960	1,308	2,253	Bright	zZ	1,124.6
103105005270289	50	1,960	1,308	2,253	Galvanized	sS	1,124.6
103105004270289	50	1,960	1,308	2,253	Galvanized	sZ	1,124.6
103105003270289	50	1,960	1,308	2,253	Galvanized	zS	1,124.6
103105006270289	50	1,960	1,308	2,253	Galvanized	zZ	1,124.6
103105005100289	50	2,160	1,308	2,367	Bright	sS	1,124.6
103105004100289	50	2,160	1,308	2,367	Bright	sZ	1,124.6
103105003100289	50	2,160	1,308	2,367	Bright	zS	1,124.6
103105006100289	50	2,160	1,308	2,367	Bright	zZ	1,124.6
103105005300289	50	2,160	1,308	2,367	Galvanized	sS	1,124.6
103105004300289	50	2,160	1,308	2,367	Galvanized	sZ	1,124.6

103105003300289	50	2,160	1,308	2,367	Galvanized	zS	1,124.6
103105006300289	50	2,160	1,308	2,367	Galvanized	zZ	1,124.6
103105205050289	52	1,770	1,414	2,203	Bright	sS	1,216.4
103105204050289	52	1,770	1,414	2,203	Bright	sZ	1,216.4
103105203050289	52	1,770	1,414	2,203	Bright	zS	1,216.4
103105206050289	52	1,770	1,414	2,203	Bright	zZ	1,216.4
103105205250289	52	1,770	1,414	2,203	Galvanized	sS	1,216.4
103105204250289	52	1,770	1,414	2,203	Galvanized	sZ	1,216.4
103105203250289	52	1,770	1,414	2,203	Galvanized	zS	1,216.4
103105206250289	52	1,770	1,414	2,203	Galvanized	zZ	1,216.4
103105205070289	52	1,960	1,414	2,437	Bright	sS	1,216.4
103105204070289	52	1,960	1,414	2,437	Bright	sZ	1,216.4
103105203070289	52	1,960	1,414	2,437	Bright	zS	1,216.4
103105206070289	52	1,960	1,414	2,437	Bright	zZ	1,216.4
103105205270289	52	1,960	1,414	2,437	Galvanized	sS	1,216.4
103105204270289	52	1,960	1,414	2,437	Galvanized	sZ	1,216.4
103105203270289	52	1,960	1,414	2,437	Galvanized	zS	1,216.4
103105206270289	52	1,960	1,414	2,437	Galvanized	zZ	1,216.4
103105205100289	52	2,160	1,414	2,560	Bright	sS	1,216.4
103105204100289	52	2,160	1,414	2,560	Bright	sZ	1,216.4
103105203100289	52	2,160	1,414	2,560	Bright	zS	1,216.4
103105206100289	52	2,160	1,414	2,560	Bright	zZ	1,216.4
103105205300289	52	2,160	1,414	2,560	Galvanized	sS	1,216.4

103105204300289	52	2,160	1,414	2,560	Galvanized	sZ	1,216.4
103105203300289	52	2,160	1,414	2,560	Galvanized	zS	1,216.4
103105206300289	52	2,160	1,414	2,560	Galvanized	zZ	1,216.4
103105405050289	54	1,770	1,525	2,376	Bright	sS	1,311.7
103105404050289	54	1,770	1,525	2,376	Bright	sZ	1,311.7
103105403050289	54	1,770	1,525	2,376	Bright	zS	1,311.7
103105406050289	54	1,770	1,525	2,376	Bright	zZ	1,311.7
103105405250289	54	1,770	1,525	2,376	Galvanized	sS	1,311.7
103105404250289	54	1,770	1,525	2,376	Galvanized	sZ	1,311.7
103105403250289	54	1,770	1,525	2,376	Galvanized	zS	1,311.7
103105406250289	54	1,770	1,525	2,376	Galvanized	zZ	1,311.7
103105405070289	54	1,960	1,525	2,628	Bright	sS	1,311.7
103105404070289	54	1,960	1,525	2,628	Bright	sZ	1,311.7
103105403070289	54	1,960	1,525	2,628	Bright	zS	1,311.7
103105406070289	54	1,960	1,525	2,628	Bright	zZ	1,311.7
103105405270289	54	1,960	1,525	2,628	Galvanized	sS	1,311.7
103105404270289	54	1,960	1,525	2,628	Galvanized	sZ	1,311.7
103105403270289	54	1,960	1,525	2,628	Galvanized	zS	1,311.7
103105406270289	54	1,960	1,525	2,628	Galvanized	zZ	1,311.7
103105405100289	54	2,160	1,525	2,761	Bright	sS	1,311.7
103105404100289	54	2,160	1,525	2,761	Bright	sZ	1,311.7
103105403100289	54	2,160	1,525	2,761	Bright	zS	1,311.7
103105406100289	54	2,160	1,525	2,761	Bright	zZ	1,311.7



103105405300289	54	2,160	1,525	2,761	Galvanized	sS	1,311.7
103105404300289	54	2,160	1,525	2,761	Galvanized	sZ	1,311.7
103105403300289	54	2,160	1,525	2,761	Galvanized	zS	1,311.7
103105406300289	54	2,160	1,525	2,761	Galvanized	zZ	1,311.7
103105605050289	56	1,770	1,640	2,555	Bright	sS	1,410.7
103105604050289	56	1,770	1,640	2,555	Bright	sZ	1,410.7
103105603050289	56	1,770	1,640	2,555	Bright	zS	1,410.7
103105606050289	56	1,770	1,640	2,555	Bright	zZ	1,410.7
103105605250289	56	1,770	1,640	2,555	Galvanized	sS	1,410.7
103105604250289	56	1,770	1,640	2,555	Galvanized	sZ	1,410.7
103105603250289	56	1,770	1,640	2,555	Galvanized	zS	1,410.7
103105606250289	56	1,770	1,640	2,555	Galvanized	zZ	1,410.7
103105605070289	56	1,960	1,640	2,826	Bright	sS	1,410.7
103105604070289	56	1,960	1,640	2,826	Bright	sZ	1,410.7
103105603070289	56	1,960	1,640	2,826	Bright	zS	1,410.7
103105606070289	56	1,960	1,640	2,826	Bright	zZ	1,410.7
103105605270289	56	1,960	1,640	2,826	Galvanized	sS	1,410.7
103105604270289	56	1,960	1,640	2,826	Galvanized	sZ	1,410.7
103105603270289	56	1,960	1,640	2,826	Galvanized	zS	1,410.7
103105606270289	56	1,960	1,640	2,826	Galvanized	zZ	1,410.7
103105805050289	58	1,770	1,760	2,741	Bright	sS	1,513.3
103105804050289	58	1,770	1,760	2,741	Bright	sZ	1,513.3
103105803050289	58	1,770	1,760	2,741	Bright	zS	1,513.3

103105806050289	58	1,770	1,760	2,741	Bright	zZ	1,513.3
103105805250289	58	1,770	1,760	2,741	Galvanized	sS	1,513.3
103105804250289	58	1,770	1,760	2,741	Galvanized	sZ	1,513.3
103105803250289	58	1,770	1,760	2,741	Galvanized	zS	1,513.3
103105806250289	58	1,770	1,760	2,741	Galvanized	zZ	1,513.3
103105805070289	58	1,960	1,760	3,032	Bright	sS	1,513.3
103105804070289	58	1,960	1,760	3,032	Bright	sZ	1,513.3
103105803070289	58	1,960	1,760	3,032	Bright	zS	1,513.3
103105806070289	58	1,960	1,760	3,032	Bright	zZ	1,513.3
103105805270289	58	1,960	1,760	3,032	Galvanized	sS	1,513.3
103105804270289	58	1,960	1,760	3,032	Galvanized	sZ	1,513.3
103105803270289	58	1,960	1,760	3,032	Galvanized	zS	1,513.3
103105806270289	58	1,960	1,760	3,032	Galvanized	zZ	1,513.3
103106005050289	60	1,770	1,883	2,933	Bright	sS	1,619.4
103106004050289	60	1,770	1,883	2,933	Bright	sZ	1,619.4
103106003050289	60	1,770	1,883	2,933	Bright	zS	1,619.4
103106006050289	60	1,770	1,883	2,933	Bright	zZ	1,619.4
103106005250289	60	1,770	1,883	2,933	Galvanized	sS	1,619.4
103106004250289	60	1,770	1,883	2,933	Galvanized	sZ	1,619.4
103106003250289	60	1,770	1,883	2,933	Galvanized	zS	1,619.4
103106006250289	60	1,770	1,883	2,933	Galvanized	zZ	1,619.4
103106005070289	60	1,960	1,883	3,245	Bright	sS	1,619.4
103106004070289	60	1,960	1,883	3,245	Bright	sZ	1,619.4

103106003070289	60	1,960	1,883	3,245	Bright	zS	1,619.4
103106006070289	60	1,960	1,883	3,245	Bright	zZ	1,619.4
103106005270289	60	1,960	1,883	3,245	Galvanized	sS	1,619.4
103106004270289	60	1,960	1,883	3,245	Galvanized	sZ	1,619.4
103106003270289	60	1,960	1,883	3,245	Galvanized	zS	1,619.4
103106006270289	60	1,960	1,883	3,245	Galvanized	zZ	1,619.4

## Technical data