



## Snatch Block H - Hook

### Product information

Intended for general lifting purposes. Can also be used for pulling. WLL in table applies for load on head fitting/hook.

**Design:** Snatch block type with covering side plates. Provided with swiveling hook with latch. Bronze bushed sheave in 2-4 tons blocks and roller bearings in larger sizes. Grease fitting in the shaft and cross head.

**Material:** Steel.

**Marking:** Type, WLL and wire rope diameter.

**Finish:** Blue painted.

Part Code	Rope Ø range mm	WLL ton	TA mm	TB mm	TC mm	Ø D1 mm	Ø D2 mm	Weight kg
424100200060	7-9	2	82	70	290	75	58	4
424100400060	10-12	4	120	70	358	115	90	6
424100400065	16-19	4	160	70	432	150	120	14
424100800060	19-22	8	210	93	549	200	165	16
424101000060	24-26	10	260	115	695	250	205	38
424101200060	24-26	12	310	133	797	300	250	56
424101500060	22-24	15	210	102	672	200	165	24
424101500066	24-26	15	310	133	797	300	250	65
424102200060	28-32	22	365	140	960	355	305	90
424103000060	28-30	30	310	193	993	300	250	125
424103000067	32-35	30	415	155	1,121	405	350	135
424103500060	32-35	35	365	193	1,028	350	280	130
424105000060	46-50	50	625	275	1,495	600	500	418

## Blueprint

