

Turnbuckles DIN 1480 eye / eye

Product information



Commercial quality turnbuckles for all kind of use.

Material: Steel

Finish: Electro galvanized

Note: Not for lifting

| Part Code | Length mm | Thread | a mm | b mm | c mm | d mm | Weight kg |
|------------------|----------------------|---------------|-----------------|-----------------|-----------------|-----------------|----------------------|
| 492123600220 | 156-236 | 6 | 110 | 156 – 236 | 8 | 6 | 0.095 |
| 492124000220 | 160-240 | 8 | 110 | 160 – 240 | 10 | 8 | 0.165 |
| 492126300220 | 170-263 | 10 | 125 | 170 – 263 | 13 | 10 | 0.29 |
| 492128500220 | 201-285 | 12 | 125 | 201 – 285 | 17 | 12 | 0.43 |
| 492132200220 | 222-322 | 14 | 140 | 222 – 322 | 17 | 14 | 0.62 |
| 492137700220 | 259-377 | 16 | 170 | 259 – 377 | 19 | 16 | 0.92 |
| 492144500220 | 307-445 | 20 | 200 | 307 – 445 | 24 | 20 | 1.63 |
| 492149600220 | 342-496 | 22 | 220 | 342 – 496 | 27 | 22 | 2.2 |
| 492156100220 | 377-561 | 24 | 255 | 377 – 561 | 27 | 24 | 3 |
| 492157000220 | 391-570 | 30 | 255 | 391 – 570 | 31 | 30 | 4.6 |

Blueprint

