

## Black Belt Sling Extreema® with HMPE core

### Product information



These EXTREEMA® HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt Sling™ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of general HMPE (Trosar®), which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordura® outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

#### Features:

- Lightweight and flexible, easy to handle
- Repairable sleeve
- Does not absorb water
- Floats on water
- Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m – 65m

**Marking:** According to standard, CE-marked

**Standard:** EN 1492-2

**Safety factor:** 7:1

#### Код товара

#### WLL ton

340501000500140

10

340503001800140

30

340504000200140

40

|                 |     |
|-----------------|-----|
| 340504000600140 | 40  |
| 340504000400140 | 40  |
| 340505000600140 | 50  |
| 340505000300140 | 50  |
| 340505000600142 | 50  |
| 340507500050140 | 75  |
| 340507500480140 | 75  |
| 340508000410140 | 80  |
| 340508000440140 | 80  |
| 340508500100140 | 85  |
| 340508500200140 | 85  |
| 340508500300140 | 85  |
| 340508500400140 | 85  |
| 340508500870140 | 85  |
| 340510000500140 | 100 |
| 340510000600140 | 100 |
| 340510001000140 | 100 |
| 340510001200140 | 100 |
| 340512000200140 | 120 |
| 340512000700140 | 120 |
| 340512500200140 | 125 |
| 340512500400140 | 125 |
| 340515001500140 | 150 |

|                 |     |
|-----------------|-----|
| 340516000700140 | 160 |
| 340518000500140 | 180 |
| 340518000600140 | 180 |
| 340520001000140 | 200 |
| 340520000600140 | 200 |
| 340520000400140 | 200 |
| 340525000300140 | 250 |
| 340525000500140 | 250 |
| 340525000700140 | 250 |
| 340525000800140 | 250 |