

## Samson wire rope blocks 3 sheave



### Product information

**General:**

- Up to 30 ton blocks standard supplied with swivel oval eye.
- Over 30 ton blocks standard supplied with swivel stud eye.
- Blocks can be supplied with swivel hook, swivel stud eye or swivel jaw on request.
- Standard supplied with bronze bearings. Other bearings available on request.
- Groove in sheave may be adjusted to other wire rope diameters on request.
- Blocks can be supplied with becket on request.

**Safety factor:** 4:1

| Код товара   | WLL ton | For wire Ø mm | No of Sheaves | D1 mm | D2 mm | F mm | Ø G mm | Ø J mm | K mm | L mm | M mm | R mm | TA mm | TB mm | TL mm | Bec kg |
|--------------|---------|---------------|---------------|-------|-------|------|--------|--------|------|------|------|------|-------|-------|-------|--------|
| 424100200330 | 2       | 10            | 3             | 125   | 105   | 27   | 22     | 16     | 26   | 58   | 24   | 5,5  | 135   | 120   | 336   | 9      |
| 424100400330 | 4       | 12            | 3             | 150   | 120   | 40   | 30     | 26     | 40   | 94   | 33   | 6,5  | 170   | 166   | 468   | 17     |
| 424100600330 | 6       | 14            | 3             | 200   | 165   | 40   | 30     | 29     | 45   | 108  | 42   | 7,5  | 220   | 166   | 556   | 28     |
| 424100800330 | 8       | 18            | 3             | 250   | 210   | 45   | 35     | 32     | 49   | 114  | 45   | 9,5  | 270   | 185   | 633   | 46     |
| 424101000330 | 10      | 20            | 3             | 300   | 255   | 50   | 40     | 36     | 54   | 125  | 52   | 11   | 320   | 204   | 733   | 69     |
| 424101200330 | 12      | 22            | 3             | 350   | 305   | 50   | 45     | 41     | 60   | 144  | 56   | 12   | 380   | 212   | 823   | 99     |
| 424101600330 | 16      | 24            | 3             | 350   | 305   | 60   | 50     | 46     | 66   | 163  | 64   | 13   | 380   | 258   | 880   | 120    |
| 424101600335 | 16      | 24            | 3             | 400   | 345   | 60   | 50     | 46     | 66   | 163  | 64   | 13   | 430   | 250   | 927   | 157    |
| 424102000335 | 20      | 24            | 3             | 350   | 305   | 60   | 50     | 51     | 72   | 173  | 72   | 13   | 380   | 258   | 896   | 143    |
| 424102000330 | 20      | 24            | 3             | 400   | 345   | 60   | 60     | 51     | 72   | 173  | 72   | 13   | 430   | 266   | 1 006 | 184    |
| 424102500330 | 25      | 24            | 3             | 350   | 305   | 60   | 50     | 60     | 80   | 195  | 76   | 13   | 380   | 266   | 955   | 170    |
| 424102500335 | 25      | 24            | 3             | 400   | 345   | 60   | 60     | 60     | 80   | 195  | 76   | 13   | 430   | 266   | 1 065 | 198    |
| 424102500336 | 25      | 28            | 3             | 450   | 390   | 70   | 70     | 60     | 80   | 195  | 76   | 15   | 480   | 296   | 1 120 | 220    |
| 424103000330 | 30      | 28            | 3             | 400   | 345   | 60   | 60     | 60     | 90   | 220  | 80   | 15   | 430   | 266   | 1 095 | 215    |
| 424103000335 | 30      | 28            | 3             | 450   | 390   | 70   | 70     | 60     | 90   | 220  | 80   | 15   | 480   | 296   | 1 140 | 255    |
| 424104000330 | 40      | 28            | 3             | 400   | 345   | 60   | 60     | -      | 96   | 96   | 90   | 15   | 430   | 278   | 945   | 250    |
| 424104000335 | 40      | 28            | 3             | 450   | 390   | 70   | 70     | -      | 96   | 96   | 90   | 15   | 480   | 308   | 1 030 | 295    |
| 424105000330 | 50      | 28            | 3             | 450   | 390   | 70   | 75     | -      | 106  | 106  | 100  | 15   | 480   | 338   | 1 055 | 335    |

# Blueprint

