



## Master Link JDT B

### Product information

Intermediate links/joining links type B.

**Safety factor:** 4:1

**Класс:** 8

| Код товара   | Код  | WLL<br>ton | b<br>mm | Ø d | t<br>mm | Вес<br>kg |
|--------------|------|------------|---------|-----|---------|-----------|
| 401100110210 | B 7  | 1,12       | 16      | 7   | 35      | 0,03      |
| 401100150210 | B 8  | 1,5        | 20      | 8   | 44      | 0,05      |
| 401100200210 | B 10 | 2          | 20      | 10  | 44      | 0,08      |
| 401100320210 | B 13 | 3,15       | 25      | 13  | 54      | 0,18      |
| 401100530210 | B 16 | 5,3        | 34      | 16  | 70      | 0,35      |
| 401100670210 | B 18 | 6,7        | 40      | 18  | 85      | 0,6       |
| 401100800210 | B 20 | 8          | 40      | 20  | 85      | 0,7       |
| 401101250210 | B 22 | 12,5       | 50      | 22  | 115     | 1,08      |
| 401101600210 | B 26 | 16         | 65      | 26  | 140     | 1,87      |
| 401102120210 | B 32 | 21,2       | 70      | 32  | 150     | 2,93      |
| 401102500210 | B 36 | 25         | 75      | 36  | 170     | 4,13      |
| 401103150210 | B 40 | 31,5       | 80      | 40  | 170     | 5,5       |
| 401104000210 | B 45 | 40         | 90      | 45  | 180     | 7,5       |
| 401105000210 | B 50 | 50         | 100     | 50  | 200     | 10,8      |
| 401106300210 | B 56 | 63         | 115     | 56  | 230     | 15,4      |
| 401108000210 | B 63 | 80         | 125     | 63  | 250     | 20,6      |
| 401110000210 | B 70 | 100        | 140     | 70  | 280     | 28,3      |

Blueprint

