



Coupling Link JDT TBS

Product information

Coupling link for assembling chainslings.

Marking: According to standard

Standard: EN 1677-1

Safety factor: 4:1.

Класс: 8

| Код товара | Код | WLL ton | a mm | b mm | c mm | d mm | e mm | g mm | t mm | Вес kg |
|-------------------|------------|--------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------|
| 401200110130 | TBS 6 | 1,12 | 11 | 19 | 40 | 8 | 17 | 17 | 45 | 0,08 |
| 401200200130 | TBS 8 | 2 | 14 | 22 | 53 | 11 | 22 | 21 | 59 | 0,17 |
| 401200320130 | TBS 10 | 3,15 | 18 | 29 | 68 | 12 | 26 | 28 | 70 | 0,3 |
| 401200530130 | TBS 13 | 5,3 | 23 | 33 | 77 | 16 | 32 | 30 | 87 | 0,6 |
| 401200800130 | TBS 16 | 8 | 27 | 40 | 94 | 22 | 39 | 35 | 103 | 1,18 |
| 401201000130 | TBS 18 | 10 | 37 | 51 | 120 | 23 | 48 | 48 | 125 | 1,58 |
| 401201250130 | TBS 20 | 12,5 | 37 | 50 | 112 | 24 | 47 | 45 | 125 | 2 |
| 401201500130 | TBS 22 | 15 | 40 | 54 | 120 | 28 | 52 | 48 | 133 | 2,64 |
| 401202120130 | TBS 26 | 21,2 | 50 | 70 | 161 | 30 | 65 | 61 | 168 | 5,04 |
| 401203150130 | TBS 32 | 31,5 | 55 | 79 | 186 | 34 | 73 | 71 | 190 | 6,84 |
| 401204000130 | TBS 36 | 40 | 70 | 97 | 227 | 46 | 84 | 85 | 235 | 15,6 |
| 401205000130 | TBS 40 | 50 | 70 | 97 | 227 | 46 | 84 | 85 | 235 | 15,6 |

Blueprint

